

Publication list

Manfred Schartl

09.03.2017

I. Original articles

- I/1. Meyer MK & Schartl M. Eine neue *Xiphophorus*-Art aus Vera Cruz, Mexiko. **Senckenbergiana biol.** 60, 147-151, (1979).
- I/2. Schartl M, Schartl A & Anders F. Phenotypic conversion of malignant melanoma to benign melanoma and vice versa in *Xiphophorus* in *Phenotypic Expression in Pigment Cells, Pigment Cell Vol. 6* (ed Seiji M), University of Tokyo Press, 507-514, (1981).
- I/3. Barnekow A, Schartl M, Anders F & Bauer H. Identification of a fish protein associated with a kinase activity and related to the Rous sarcoma virus transforming protein. **Cancer Res** 42, 2429-2433, (1982).
- I/4. Schartl M, Barnekow A, Bauer H & Anders F. Correlations of inheritance and expression between a tumor gene and the cellular homolog of the Rous sarcoma virus-transforming gene in *Xiphophorus*. **Cancer Res** 42, 4222-4227, (1982).
- I/5. Schartl A, Schartl M & Anders F. Promotion and regression of neoplasia by testosterone-promoted cell differentiation in *Xiphophorus* and *Girardinus*. **Carcinog Compr Surv** 7, 427-434, (1982).
- I/6. Schartl M & Barnekow A. The expression in eukaryotes of a tyrosine kinase which is reactive with pp60v-src antibodies. **Differentiation** 23, 109-114, (1982).
- I/7. Riehl R, Schartl M & Kollinger G. Comparative studies on the ultrastructure of malignant melanoma in fish and human by freeze-etching and transmission electron microscopy. **J Cancer Res Clin Oncol** 107, 21-31, (1984).
- I/7a Riehl R & Schartl M. A transmission electron microscopical and freeze-etch study of malignant melanoma in fish. **Yale J Biol Med** 57, 413-413, (1984).
- I/8. Barnekow A & Schartl M. Cellular src gene product detected in the freshwater sponge *Spongilla lacustris*. **Mol Cell Biol** 4, 1179-1181, (1984).
- I/9. Schartl M & Barnekow A. Differential expression of the cellular src gene during vertebrate development. **Dev Biol** 105, 415-422, (1984).
- I/10. Meyer MK & Schartl M. *Pseudotropheus (Maylandia) hajomaylandi n. sp.*, a new taxon from Lake Malawi. **Rev. fr. Aquariol.** 11, 51-56, (1984).
- I/11. Riehl R, Schartl M & Anders F. An ultrastructural study of melanoma in *Xiphophorus* in *Biological, Molecular and Clinical Aspects of Pigmentation, Pigment Cell Vol. 7* (eds Bagnara J & al. e), 457-464, (1985).
- I/12. Peter RU, Schartl M, Anders F & Duncker HR. Pigment pattern formation during embryogenesis in *Xiphophorus* in *Biological, Molecular and Clinical Aspects of Pigmentation, Pigment Cell Vol. 7*, Bagnara, J. et al., 291-302, (1985).
- I/13. Schartl M, Schmidt CR, Anders A & Barnekow A. Elevated expression of the cellular src gene in tumors of differing etiologies in *Xiphophorus*. **Int J Cancer** 36, 199-207, (1985).
- I/14. Barnekow A, Paul E & Schartl M. Expression of the c-src protooncogene in human skin tumors. **Cancer Res** 47, 235-240, (1987).
- I/15. Schartl M & Schroeder JH. A new species of the genus *Xiphophorus* Heckel 1848, endemic to northern Coahuila, Mexico. **Senckenbergiana biol.** 68, 311-321, (1987).
- I/16. Barnekow A & Schartl M. Comparative studies on the src proto-oncogene and its gene product pp60c-src in normal and neoplastic tissues of lower vertebrates. **Comp Biochem Physiol B** 87, 663-670, (1987).
- I/17. Mäueler W, Eigenbrodt E, Schartl M & Anders F. Intermediary metabolism of normal and tumorous tissue of *Xiphophorus* (Teleostei: Poeciliidae). **Comp. Biochem. Physiol.** 88, 481-490, (1987).
- I/18. Schartl M. A sex chromosomal restriction-fragment-length marker linked to melanoma-determining Tu loci in *Xiphophorus*. **Genetics** 119, 679-685, (1988).

- I/19. Schartl M & Peter RU. Progressive growth of fish tumors after transplantation into thymus-aplastic (nu/nu) mice. **Cancer Res** 48, 741-744, (1988).
- I/20. Mäueler W, Barnekow A, Eigenbrodt E, Raulf F, Falk HF, Telling A & Schartl M. Different regulation of oncogene expression in tumor and embryonal cells of *Xiphophorus*. **Oncogene** 3, 113-122, (1988).
- I/21. Mäueler W, Raulf F & Schartl M. Expression of proto-oncogenes in embryonic, adult, and transformed tissue of *Xiphophorus* (Teleostei: Poeciliidae). **Oncogene** 2, 421-430, (1988).
- I/22. Adam D, Wittbrodt J, Telling A & Schartl M. RFLP for an EGF-receptor related gene associated with the melanoma oncogene locus of *Xiphophorus maculatus*. **Nucleic Acids Res** 16, 7212, (1988).
- I/23. Raulf F, Maueler W, Robertson SM & Schartl M. Localization of cellular src mRNA during development and in the differentiated bipolar neurons of the adult neural retina in *Xiphophorus*. **Oncogene Res** 5, 39-47, (1989).
- I/24. Bernards R, Schackelford GM, Gerber MR, Horowitz JM, Friend SH, Schartl M, Bogenmann E, Rapaport JM, McGee T & Dryja TP. Structure and expression of the murine retinoblastoma gene and characterization of its encoded protein. **Proc Natl Acad Sci U S A** 86, 6474-6478, (1989).
- I/25. Wittbrodt J, Adam D, Malitschek B, Maueler W, Raulf F, Telling A, Robertson SM & Schartl M. Novel putative receptor tyrosine kinase encoded by the melanoma-inducing Tu locus in *Xiphophorus*. **Nature** 341, 415-421, (1989).
- I/26. Schartl M, Holstein T, Robertson SM & Barnekow A. Preferential expression of a pp60c-src related protein tyrosine kinase activity in nerve cells of the early metazoan *Hydra* (Coelenterates). **Oncogene** 4, 1185-1191, (1989).
- I/27. Raulf F, Robertson SM & Schartl M. Evolution of the neuron-specific alternative splicing product of the c-src proto-oncogene. **J Neurosci Res** 24, 81-88, (1989).
- I/27a Anders A, Anders F, Zechel C, Schleenbecker U & Smith A. Ansätze zur Analyse der Initiation von Initialprozessen der Krebsbildung am Melanom-Modell von *Xiphophorus*. **Archiv für Geschwulstforschung** 60, 249-264, (1990).
- I/28. Clauss G, Winkler C, Lohmeyer J, Anders F & Schartl M. Oncofetal antigen in *Xiphophorus* detected by monoclonal antibodies directed against melanoma-associated antigens. **Int J Cancer** 45, 136-142, (1990).
- I/29. Barnekow A, Jahn R & Schartl M. Synaptophysin: a substrate for the protein tyrosine kinase pp60c-src in intact synaptic vesicles. **Oncogene** 5, 1019-1024, (1990).
- I/30. Friedenreich H & Schartl M. Transient expression directed by homologous and heterologous promoter and enhancer sequences in fish cells. **Nucleic Acids Res** 18, 3299-3305, (1990).
- I/31. Dracopoli NC, Feltquate DM, Sam B & Schartl M. TaqI and MspI RFLPs are detected by the human 2,3-bisphosphoglycerate mutase (BPGM) cDNA. **Nucleic Acids Res** 18, 1928, (1990).
- I/32. Schartl M. Homology of melanoma-inducing loci in the genus *Xiphophorus*. **Genetics** 126, 1083-1091, (1990).
- I/33. Schartl M, Nanda I, Schlupp I, Parzefall J, Schmid M & Epplen JT. Genetic variation in the clonal vertebrate *Poecilia formosa* is limited to few truly hypervariable loci. **Fingerprint News** 2, 22-24, (1990).
- I/34. Hannig G, Otilie S & Schartl M. Conservation of structure and expression of the c-yes and fyn genes in lower vertebrates. **Oncogene** 6, 361-369, (1991).
- I/35. Winkler C, Vielkind JR & Schartl M. Transient expression of foreign DNA during embryonic and larval development of the medaka fish (*Oryzias latipes*). **Mol Gen Genet** 226, 129-140, (1991).
- I/36. Adam D, Maueler W & Schartl M. Transcriptional activation of the melanoma inducing Xmrk oncogene in *Xiphophorus*. **Oncogene** 6, 73-80, (1991).
- I/37. Malitschek B & Schartl M. Rapid identification of recombinant baculoviruses using PCR. **Biotechniques** 11, 177-178, (1991).
- I/38. Schartl M, Schlupp I, Schartl A, Meyer MK, Nanda I, Schmid M, Epplen JT & Parzefall J. On the stability of dispensable constituents of the eukaryotic genome: stability of coding sequences versus truly hypervariable sequences in a clonal vertebrate, the amazon molly, *Poecilia formosa*. **Proc Natl Acad Sci U S A** 88, 8759-8763, (1991).
- I/39. Schartl M, Erbeling-Denk C, Nanda I, Schmid M, Schröder JH & Epplen JT. Mating success of subordinate males in a poeciliid fish species, *Limia perugiae*. **Fingerprint News** 3, 16-18, (1991).

- 1/40. Förnzer D, Wittbrodt J & Scharl M. Analysis of an esterase linked to a locus involved in the regulation of the melanoma oncogene and isolation of polymorphic marker sequences in *Xiphophorus*. **Biochem Genet** 29, 509-524, (1991).
- 1/41. Schlupp I, Parzefall J & Scharl M. Male mate choice in mixed bisexual/unisexual breeding complexes of *Poecilia* (Teleostei: Poeciliidae). **Ethology** 88, 215-222, (1991).
- 1/42. Nanda I, Scharl M, Feichtinger W, Epplen JT & Schmid M. Early stages of sex chromosome differentiation in fish as analysed by simple repetitive DNA sequences. **Chromosoma** 101, 301-310, (1992).
- 1/43. Gotz R, Raulf F & Scharl M. Brain-derived neurotrophic factor is more highly conserved in structure and function than nerve growth factor during vertebrate evolution. **J Neurochem** 59, 432-442, (1992).
- 1/44. Wittbrodt J, Lammers R, Malitschek B, Ullrich A & Scharl M. The Xmrk receptor tyrosine kinase is activated in *Xiphophorus* malignant melanoma. **Embo J** 11, 4239-4246, (1992).
- 1/45. Schlupp I, Parzefall J, Epplen JT, Nanda I, Schmid M & Scharl M. Pseudomale behaviour and spontaneous masculinization in the all-female teleost *Poecilia formosa* (Teleostei: Poeciliidae). **Behaviour** 122, 88-104, (1992).
- 1/46. Winkler C, Hong Y, Wittbrodt J & Scharl M. Analysis of heterologous and homologous promoters and enhancers in vitro and in vivo by gene transfer into Japanese medaka (*Oryzias latipes*) *Xiphophorus*. **Mol Mar Biol Biotechnol** 1, 326-337, (1992).
- 1/47. Otilie S, Raulf F, Barnekow A, Hannig G & Scharl M. Multiple src-related kinase genes, srk1-4, in the fresh water sponge *Spongilla lacustris*. **Oncogene** 7, 1625-1630, (1992).
- 1/48. Mäueler W, Scharl M & Epplen JT. Oligonucleotide fingerprinting in *Xiphophorus* melanoma. Detection of a melanoma associated DNA modification. **J Exp Anim Sci** 35, 120-124, (1992).
- 1/49. Hong Y & Scharl M. Structure of the rainbow trout metallothionein A gene. **Gene** 120, 277-279, (1992).
- 1/50. Hong Y, Winkler C, Brem G & Scharl M. Development of a heavy metal-inducible fish specific expression vector for gene transfer in vitro and in vivo. **Aquaculture** 111, 215-226, (1993).
- 1/51. Nanda I, Scharl M, Epplen JT, Feichtinger W & Schmid M. Primitive sex chromosomes in poeciliid fishes harbor simple repetitive DNA sequences. **The Journal of experimental zoology** 265, 301-308, (1993).
- 1/52. Scharl M, Erbeling-Denk C, Holter S, Nanda I, Schmid M, Schroder JH & Epplen JT. Reproductive failure of dominant males in the poeciliid fish *Limia perugiae* determined by DNA fingerprinting. **Proc Natl Acad Sci U S A** 90, 7064-7068, (1993).
- 1/53. Adam D, Dimitrijevic N & Scharl M. Tumor suppression in *Xiphophorus* by an accidentally acquired promoter. **Science** 259, 816-819, (1993).
- 1/54. Hong Y & Scharl M. Sequence of the growth hormone (GH) gene from the silver carp (*Hypophthalmichthys molitrix*) and evolution of GH genes in vertebrates. **Biochim Biophys Acta** 1174, 285-288, (1993).
- 1/55. Cavari B, Hong Y, Funkenstein B, Moav B & M. S. All-fish gene constructs for growth hormone gene transfer in fish. **Fish Physiol. Biochem.** 11, 345-352, (1993).
- 1/56. Schliewen U, Fricke H, Scharl M, Epplen JT & Pääbo S. Which home for coelacanth? **Nature** 363, 405, (1993).
- 1/57. Mäueler W, Scharl A & Scharl M. Different expression patterns of oncogenes and proto-oncogenes in hereditary and carcinogen-induced tumors of *Xiphophorus*. **Int J Cancer** 55, 288-296, (1993).
- 1/58. Nakayama I, Foresti F, Tewari R, Scharl M & Chourrout D. Sex chromosome polymorphism and heterogametic males revealed by two cloned DNA probes in the ZW/ZZ fish *Leporinus elongatus*. **Chromosoma** 103, 31-39, (1994).
- 1/59. Winkler C, Wittbrodt J, Lammers R, Ullrich A & Scharl M. Ligand-dependent tumor induction in medakafish embryos by a Xmrk receptor tyrosine kinase transgene. **Oncogene** 9, 1517-1525, (1994).
- 1/60. Erbeling-Denk C, Schroder JH, Scharl M, Nanda I, Schmid M & Epplen JT. Male polymorphism in *Limia perugiae* (Pisces: Poeciliidae). **Behav Genet** 24, 95-101, (1994).
- 1/61. Meyer A, Morrissey JM & Scharl M. Recurrent origin of a sexually selected trait in *Xiphophorus* fishes inferred from a molecular phylogeny. **Nature** 368, 539-542, (1994).
- 1/62. Malitschek B, Wittbrodt J, Fischer P, Lammers R, Ullrich A & Scharl M. Autocrine stimulation of the Xmrk receptor tyrosine kinase in *Xiphophorus* melanoma cells and identification of a source for the physiological ligand. **J Biol Chem** 269, 10423-10430, (1994).

- 1/63. Götz R, Köster R, Winkler C, Raulf F, Lottspeich F, Schartl M & Thoenen H. Neurotrophin-6 is a new member of the nerve growth factor family. **Nature** 372, 266-269, (1994).
- 1/64. Nanda I, Schartl M, Feichtinger W, Schlupp I, Parzefall J & Schmid M. Chromosomal evidence for laboratory synthesis of a triploid hybrid between the gynogenetic teleost *Poecilia formosa* and its host species. **J. Fish Biol.** 47, 619-623, (1995).
- 1/65. Schartl M, Wilde B, Schlupp I & Parzefall J. Evolutionary origin of a parthenoform, the Amazon molly *Poecilia formosa*, on the basis of a molecular genealogy. **Evolution** 49, 827-835, (1995).
- 1/66. Schartl M, Nanda I, Schlupp I, Wilde B, Epplen JT, Schmid M & Parzefall J. Incorporation of subgenomic amounts of DNA as compensation for mutational load in a gynogenetic fish. **Nature** 373, 68-71, (1995).
- 1/67. Schartl A, Malitschek B, Kazianis S, Borowsky R & Schartl M. Spontaneous melanoma formation in nonhybrid *Xiphophorus*. **Cancer Res** 55, 159-165, (1995).
- 1/68. Wellbrock C, Lammers R, Ullrich A & Schartl M. Association between the melanoma-inducing receptor tyrosine kinase Xmrk and src family tyrosine kinases in *Xiphophorus*. **Oncogene** 10, 2135-2143, (1995).
- 1/69. Koehler MR, Neuhaus D, Engel W, Schartl M & Schmid M. Evidence for an unusual ZW/ZW'/ZZ sex-chromosome system in *Scardinius erythrophthalmus* (Pisces, Cyprinidae), as detected by cytogenetic and H-Y antigen analyses. **Cytogenet Cell Genet** 71, 356-362, (1995).
- 1/70. Schlupp I, Parzefall J, Epplen JT & Schartl M. *Limia vittata* as host species for the Amazon Molly, *Poecilia formosa*: no evidence for sexual reproduction. **J. Fish Biol.** 48, 792-795, (1996).
- 1/71. Köster R, Götz R, Altschmied J, Sendtner M & Schartl M. Comparison of monocistronic and bicistronic constructs for neurotrophin transgene and reporter gene expression in fish cells. **Mol. Mar. Biol. Biotechnol.** 5, 1-8, (1996).
- 1/72. Förnzler D, Altschmied J, Nanda I, Kolb R, Baudler M, Schmid M & Schartl M. The Xmrk oncogene promoter is derived from a novel amplified locus of unusual organization. **Genome Res** 6, 102-113, (1996).
- 1/73. Hong Y & Schartl M. Establishment and growth responses of early medakafish (*Oryzias latipes*) embryonic cells in feeder layer-free cultures. **Mol. Mar. Biol. Biotechnol.** 5, 93-104, (1996).
- 1/74. Hong Y, Winkler C & Schartl M. Pluripotency and differentiation of embryonic stem cell lines from the medakafish (*Oryzias latipes*). **Mech Dev** 60, 33-44, (1996).
- 1/75. Nanda I, Weis S, Förnzler D, Altschmied J, Schartl M & Schmid M. Clustered organization and conservation of the *Xiphophorus maculatus* D locus, which includes two distinct gene sequences. **Chromosoma** 105, 242-249, (1996).
- 1/75a Benyumov AO, Colichenkov VA, Lyvov YB, Rotkina GV, Zinovyev NA, Hong Y, Schartl M & Brem G. A recombinant construct with the silver carp somatotropin gene can be used for production of transgenic carps. **Russian J. Dev. Biol.** 27, 384-387, (1996).
- 1/76. Baudler M, Duschl J, Winkler C, Schartl M & Altschmied J. Activation of transcription of the melanoma inducing Xmrk oncogene by a GC box element. **J Biol Chem** 272, 131-137, (1997).
- 1/77. Altschmied J, Hornung U, Schlupp I, Gadau J, Kolb R & Schartl M. Isolation of DNA suitable for PCR for field and laboratory work. **Biotechniques** 23, 228-229, (1997).
- 1/78. Schartl A, Hornung U, Nanda I, Wacker R, Müller-Hermelink HK, Schlupp I, Parzefall J, Schmid M & Schartl M. Susceptibility to the development of pigment cell tumors in a clone of the Amazon molly, *Poecilia formosa*, introduced through a microchromosome. **Cancer Res** 57, 2993-3000, (1997).
- 1/79. Koehler MR, Haaf T, Guttenbach M, Schartl M & Schmid M. Cytogenetics of the genus *Leporinus* (Pisces, Anostomidae). II. Molecular cytogenetics, organization and evolutionary conservation of a chromosome-specific satellite DNA from *Leporinus obtusidens*. **Chromosome Res** 5, 325-331, (1997).
- 1/80. Hyodo-Taguchi Y, Winkler C, Kurihara Y, Schartl A & Schartl M. Phenotypic rescue of the albino mutation in the medakafish (*Oryzias latipes*) by a mouse tyrosinase transgene. **Mech Dev** 68, 27-35, (1997).
- 1/81. Altschmied J, Ditzel L & Schartl M. Hypomethylation of the Xmrk oncogene promoter in melanoma cells of *Xiphophorus*. **Biol Chem** 378, 1457-1466, (1997).
- 1/82. Parzefall J, Gagelmann U & M. S. Aggressive behaviour and optomotor response in different populations of *Poecilia mexicana* (Pisces, Poeciliidae). **Mémoires de Biospéologie** 24, 63-69, (1997).
- 1/83. Hong Y, Winkler C & Schartl M. Production of medakafish chimeras from a stable embryonic stem cell line. **Proc Natl Acad Sci U S A** 95, 3679-3684, (1998).

- 1/84. Wellbrock C, Geissinger E, Gomez A, Fischer P, Friedrich K & Schartl M. Signalling by the oncogenic receptor tyrosine kinase Xmrk leads to activation of STAT5 in *Xiphophorus* melanoma. **Oncogene** 16, 3047-3056, (1998).
- 1/85. Dimitrijevic N, Winkler C, Wellbrock C, Gomez A, Duschl J, Altschmied J & Schartl M. Activation of the Xmrk proto-oncogene of *Xiphophorus* by overexpression and mutational alterations. **Oncogene** 16, 1681-1690, (1998).
- 1/86. Wellbrock C, Fischer P & Schartl M. Receptor tyrosine kinase Xmrk mediates proliferation in *Xiphophorus* melanoma cells. **Int J Cancer** 76, 437-442, (1998).
- 1/87. Kazianis S, Gutbrod H, Nairn RS, McEntire BB, Della Coletta L, Walter RB, Borowsky RL, Woodhead AD, Setlow RB, Schartl M & Morizot DC. Localization of a CDKN2 gene in linkage group V of *Xiphophorus* fishes defines it as a candidate for the DIFF tumor suppressor. **Genes Chromosomes Cancer** 22, 210-220, (1998).
- 1/88. Morizot DC, McEntire BB, Della Coletta L, Kazianis S, Schartl M & Nairn RS. Mapping of tyrosine kinase gene family members in a *Xiphophorus* melanoma model. **Mol Carcinog** 22, 150-157, (1998).
- 1/89. Weis S & Schartl M. The macromelanophore locus and the melanoma oncogene Xmrk are separate genetic entities in the genome of *Xiphophorus*. **Genetics** 149, 1909-1920, (1998).
- 1/90. Nanda I, Sick C, Münster U, Kaspers B, Schartl M, Staeheli P & Schmid M. Sex chromosome linkage of chicken and duck type I interferon genes: further evidence of evolutionary conservation of the Z chromosome in birds. **Chromosoma** 107, 204-210, (1998).
- 1/91. Franck D, Klamroth B, Taebel-Hellwig A & Schartl M. Home ranges and satellite tactics of male green swordtails (*Xiphophorus helleri*) in nature. **Behav. Processes** 43, 115-123, (1998).
- 1/92. Hong Y, Winkler C & Schartl M. Efficiency of cell culture derivation from blastula embryos and of chimera formation in the medaka (*Oryzias latipes*) depends on donor genotype and passage number. **Dev Genes Evol** 208, 595-602, (1998).
- 1/93. Schartl M, Wilde B & Hornung U. Triplet repeat variability in the signal peptide sequence of the Xmrk receptor tyrosine kinase gene in *Xiphophorus* fish. **Gene** 224, 17-21, (1998).
- 1/94. Schulte PM, Powers DA & Schartl M. Efficient gene transfer into *Xiphophorus* muscle and melanoma by injection of supercoiled plasmid DNA. **Mol Mar Biol Biotechnol** 7, 241-247, (1998).
- 1/95. Wellbrock C & Schartl M. Multiple binding sites in the growth factor receptor Xmrk mediate binding to p59fyn, GRB2 and Shc. **Eur J Biochem** 260, 275-283, (1999).
- 1/96. Gutbrod H & Schartl M. Intragenic sex-chromosomal crossovers of Xmrk oncogene alleles affect pigment pattern formation and the severity of melanoma in *Xiphophorus*. **Genetics** 151, 773-783, (1999).
- 1/97. Coughlan T, Schartl M, Hornung U, Hope I & Stewart A. PCR-based sex test for *Xiphophorus maculatus*. **J. Fish Biol.** 54, 218-222, (1999).
- 1/98. Nanda I, Shan Z, Schartl M, Burt DW, Koehler M, Nothwang H, Grutzner F, Paton IR, Windsor D, Dunn I, Engel W, Staeheli P, Mizuno S, Haaf T & Schmid M. 300 million years of conserved synteny between chicken Z and human chromosome 9. **Nat Genet** 21, 258-259, (1999).
- 1/99. Baudler M, Schartl M & Altschmied J. Specific activation of a STAT family member in *Xiphophorus* melanoma cells. **Exp Cell Res** 249, 212-220, (1999).
- 1/100. Wellbrock C, Fischer P & Schartl M. PI3-kinase is involved in mitogenic signaling by the oncogenic receptor tyrosine kinase *Xiphophorus* melanoma receptor kinase in fish melanoma. **Exp Cell Res** 251, 340-349, (1999).
- 1/101. Schartl M, Hornung U, Gutbrod H, Voff JN & Wittbrodt J. Melanoma loss-of-function mutants in *Xiphophorus* caused by Xmrk- oncogene deletion and gene disruption by a transposable element. **Genetics** 153, 1385-1394., (1999).
- 1/102. Voff JN, Körting C, Sweeney K & Schartl M. The non-LTR retrotransposon Rex3 from the fish *Xiphophorus* is widespread among teleosts. **Mol Biol Evol** 16, 1427-1438, (1999).
- 1/103. Altschmied J, Voff JN, Winkler C, Gutbrod H, Körting C, Pagany M & Schartl M. Primary structure and expression of the *Xiphophorus* DNA-(cytosine-5)-methyltransferase XDNMT-1. **Gene** 249, 75-82, (2000).
- 1/104. Wellbrock C & Schartl M. Activation of phosphatidylinositol 3-kinase by a complex of p59fyn and the receptor tyrosine kinase Xmrk is involved in malignant transformation of pigment cells. **Eur J Biochem** 267, 3513-3522, (2000).
- 1/105. Lamatsch DK, Steinlein C, Schmid M & Schartl M. Noninvasive determination of genome size and ploidy level in fishes by flow cytometry: detection of triploid *Poecilia formosa*. **Cytometry** 39, 91-95, (2000).

- I/106. Voff JN, Körting C & Scharl M. Multiple lineages of the non-LTR retrotransposon Rex1 with varying success in invading fish genomes. **Mol Biol Evol** 17, 1673-1684, (2000).
- I/107. Nanda I, Voff JN, Weis S, Körting C, Froschauer A, Schmid M & Scharl M. Amplification of a long terminal repeat-like element on the Y chromosome of the platyfish, *Xiphophorus maculatus*. **Chromosoma** 109, 173-180, (2000).
- I/108. Scherer SJ, Maier SM, Seifert M, Hanselmann RG, Zang KD, Müller-Hermelink HK, Angel P, Welter C & Scharl M. p53 and c-Jun functionally synergize in the regulation of the DNA repair gene hMSH2 in response to UV. **J Biol Chem** 275, 37469-37473, (2000).
- I/109. Nanda I, Zend-Ajus E, Shan Z, Grutzner F, Scharl M, Burt DW, Koehler M, Fowler VM, Goodwin G, Schneider WJ, Mizuno S, Dechant G, Haaf T & Schmid M. Conserved synteny between the chicken Z sex chromosome and human chromosome 9 includes the male regulatory gene DMRT1: a comparative (re)view on avian sex determination. **Cytogenet. Cell Genet.** 89, 67-78, (2000).
- I/110. Nanda I, Haaf T, Scharl M, Fries R & Schmid M. Gene content and evolutionary conservation of avian sex chromosomes. **Cytogenet Cell Genet** 90, 199-202, (2000).
- I/110a Schmid M, Nanda I, Guttenbach M, Steinlein C, Hoehn M, Scharl M, Haaf T, Weigend S, Fries R, Buerstedde JM, Wimmers K, Burt DW, Smith J, A'Hara S, Law A, Griffin DK, Bumstead N, Kaufman J, Thomson PA, Burke T, Groenen MA, Crooijmans RP, Vignal A, Fillon V, Morisson M, Pitel F, Tixier-Boichard M, Ladjali-Mohammedi K, Hillel J, Maki-Tanila A, Cheng HH, Delany ME, Burnside J & Mizuno S. First report on chicken genes and chromosomes 2000. **Cytogenet Cell Genet** 90, 169-218, (2000).
- I/111. Gomez A, Wellbrock C, Gutbrod H, Dimitrijevic N & Scharl M. Ligand-independent dimerization and activation of the oncogenic Xmrk receptor by two mutations in the extracellular domain. **J Biol Chem** 276, 3333-3340, (2001).
- I/112. Lamatsch DK, Nanda I, Epplen JT, Schmid M & Scharl M. Unusual triploid males in a microchromosome-carrying clone of the Amazon molly, *Poecilia formosa*. **Cytogenet Cell Genet** 91, 148-156, (2000).
- I/113. Franck D, Dikomey M & Scharl M. Selection and the maintenance of a colour pattern polymorphism in the green swordtail (*Xiphophorus helleri*). **Behaviour** 138, 467-486, (2001).
- I/114. Chen S, Hong Y, Scherer SJ & Scharl M. Lack of ultraviolet-light inducibility of the medakafish (*Oryzias latipes*) tumor suppressor gene p53. **Gene** 264, 197-203, (2001).
- I/115. Voff JN, Körting C, Meyer A & Scharl M. Evolution and discontinuous distribution of Rex3 retrotransposons in fish. **Mol Biol Evol** 18, 427-431, (2001).
- I/116. Voff JN, Körting C, Altschmied J, Duschl J, Sweeney K, Wichert K, Froschauer A & Scharl M. Jule from the fish *Xiphophorus* is the first complete vertebrate Ty3/Gypsy retrotransposon from the Mag family. **Mol Biol Evol** 18, 101-111, (2001).
- I/117. Voff J, Körting C & Scharl M. Ty3/Gypsy retrotransposon fossils in mammalian genomes: did they evolve into new cellular functions? **Mol Biol Evol** 18, 266-270, (2001).
- I/118. Voff JN, Körting C, Froschauer A, Sweeney K & Scharl M. Non-LTR retrotransposons encoding a restriction enzyme-like endonuclease in vertebrates. **J Mol Evol** 52, 351-360, (2001).
- I/119. Dietrich G, Kolb-Maurer A, Spreng S, Scharl M, Goebel W & Gentschev I. Gram-positive and Gram-negative bacteria as carrier systems for DNA vaccines. **Vaccine** 19, 2506-2512, (2001).
- I/120. Voff JN, Hornung U & Scharl M. Fish retrotransposons related to the Penelope element of *Drosophila virilis* define a new group of retrotransposable elements. **Mol Genet Genomics** 265, 711-720, (2001).
- I/121. Brunner B, Hornung U, Shan Z, Nanda I, Kondo M, Zend-Ajus E, Haaf T, Ropers HH, Shima A, Schmid M, Kalscheuer VM & Scharl M. Genomic organization and expression of the doublesex-related gene cluster in vertebrates and detection of putative regulatory regions for dmrt1. **Genomics** 77, 8-17, (2001).
- I/122. Schlupp I, Parzefall J & Scharl M. Biogeography of the Amazon molly, *Poecilia formosa*. **J Biogeogr** 29, 1-6, (2002).
- I/123. Stöck M, Lamatsch DK, Steinlein C, Epplen JT, Grosse WR, Hock R, Klapperstück T, Lampert KP, Scheer U, Schmid M & Scharl M. A bisexually reproducing all-triploid vertebrate. **Nat Genet** 30, 325-328, (2002).
- I/124. Wellbrock C, Weisser C, Geissinger E, Troppmair J & Scharl M. Activation of p59(Fyn) leads to melanocyte dedifferentiation by influencing MKP-1-regulated mitogen-activated protein kinase signaling. **J Biol Chem** 277, 6443-6454, (2002).

- I/125. Morcinek JC, Weisser C, Geissinger E, Schartl M & Wellbrock C. Activation of STAT5 triggers proliferation and contributes to anti-apoptotic signalling mediated by the oncogenic Xmrk kinase. **Oncogene** 21, 1668-1678, (2002).
- I/126. Altschmied J, Delfgaauw J, Wilde B, Duschl J, Bouneau L, Volff JN & Schartl M. Subfunctionalization of duplicate mitf genes associated with differential degeneration of alternative exons in fish. **Genetics** 161, 259-267, (2002).
- I/127. Lauer NK, Maier SM, Oberringer M, Schulte M, Mutschler W, Hanselmann RG, Schartl M, Scherer S & Wirbel RJ. Absence of telomerase activity in malignant bone tumors and soft-tissue sarcomas. **Sarcoma** 6, 43-46, (2002).
- I/128. Meyer M & Schartl M. *Xiphophorus mayae*, a new swordtail from Guatemala (Teleostei: Poeciliidae). **Ichthyol. Expl. Freshw.** 13, 59-66, (2002).
- I/129. Geissinger E, Weisser C, Fischer P, Schartl M & Wellbrock C. Autocrine stimulation by osteopontin contributes to antiapoptotic signalling of melanocytes in dermal collagen. **Cancer Res** 62, 4820-4828, (2002).
- I/130. Nanda I, Kondo M, Hornung U, Asakawa S, Winkler C, Shimizu A, Shan Z, Haaf T, Shimizu N, Shima A, Schmid M & Schartl M. A duplicated copy of *DMRT1* in the sex-determining region of the Y chromosome of the medaka, *Oryzias latipes*. **Proc Natl Acad Sci U S A** 99, 11778-11783, (2002).
- I/131. Froschauer A, Körting C, Katagiri T, Aoki T, Asakawa S, Shimizu N, Schartl M & Volff JN. Construction and initial analysis of bacterial artificial chromosome (BAC) contigs from the sex-determining region of the platyfish *Xiphophorus maculatus*. **Gene** 295, 247-254, (2002).
- I/132. Kondo M, Froschauer A, Kitano A, Nanda I, Hornung U, Volff JN, Asakawa S, Mitani H, Naruse K, Tanaka M, Schmid M, Shimizu N, Schartl M & Shima A. Molecular cloning and characterization of DMRT genes from the medaka *Oryzias latipes* and the platyfish *Xiphophorus maculatus*. **Gene** 295, 213-222, (2002).
- I/133. Niemeitz A, Kreuzfeldt R, Schartl M, Parzefall J & Schlupp I. Male mating behaviour of a molly, *Poecilia latipunctata*: a third host for the asexual Amazon molly, *Poecilia formosa*. **Acta Ethol** 5, 45-49, (2002).
- I/134. Zend-Ajus E, Hornung U, Burgdorf C, Lutjens G, Shan Z, Schartl M & Haaf T. Isolation and characterization of cold-shock domain protein genes, *Oryzias latipes* Y-box protein 2 (OlaYP2) and *Fugu rubripes* Y-box protein 1 (FruYP1), in medakafish and pufferfish. **Gene** 296, 111-119, (2002).
- I/135. Lamatsch DK, Schmid M & Schartl M. A somatic mosaic of the gynogenetic Amazon molly. **J Fish Biol** 60, 1417-1422, (2002).
- I/136. Nanda I, Schrama D, Feichtinger W, Haaf T, Schartl M & Schmid M. Distribution of telomeric (TTAGGG)(n) sequences in avian chromosomes. **Chromosoma** 111, 215-227, (2002).
- I/136a Nanda I, Haaf T, Schartl M, Schmid M & Burt DW. Comparative mapping of Z-orthologous genes in vertebrates: implications for the evolution of avian sex chromosomes. **Cytogenet Genome Res** 99, 178-184, (2002).
- I/137. Schmid M, Feichtinger W, Steinlein C, Haaf T, Schartl M, Visbal Garcia R, Manzanilla Pupo J & Fernandez Badillo A. Chromosome banding in Amphibia. XXVI. Coexistence of homomorphic XY sex chromosomes and a derived Y-autosome translocation in *Eleutherodactylus maussi* (Anura, Leptodactylidae). **Cytogenet Genome Res** 99, 330-343, (2002).
- I/138. Nanda I, Hornung U, Kondo M, Schmid M & Schartl M. Common spontaneous sex-reversed XX males of the medaka, *Oryzias latipes*. **Genetics** 163, 245-251, (2003).
- I/139. Kondo M, Nanda I, Hornung U, Asakawa S, Shimizu N, Mitani H, Schmid M, Shima A & Schartl M. Absence of the candidate male sex-determining gene *dmrt1b(Y)* of medaka from other fish species. **Curr Biol** 13, 416-420, (2003).
- I/140. Ziegler CG, Lamatsch DK, Steinlein C, Engel W, Schartl M & Schmid M. The giant B chromosome of the cyprinid fish *Alburnus alburnus* harbours a retrotransposon-derived repetitive DNA sequence. **Chromosome Res** 11, 23-35, (2003).
- I/141. Chen S, Hong Y & Schartl M. Development of a positive-negative selection procedure for gene targeting in fish cells. **Aquaculture** 214, 67-79, (2002).
- I/142. Volff JN, Zarkower D, Bardwell VJ & Schartl M. Evolutionary dynamics of the DM domain gene family in metazoans. **J Mol Evol** 57, S241-S249, (2003).
- I/143. Volff JN, Körting C, Froschauer A, Zhou Q, Wilde B, Schultheis C, Selz Y, Sweeney K, Duschl J, Wichert K, Altschmied J & Schartl M. The Xmrk oncogene can escape nonfunctionalization in a highly unstable subtelomeric region of the genome of the fish *Xiphophorus*. **Genomics** 82, 470-479, (2003).

- I/144. Scholz S, Rosler S, Schaffer M, Hornung U, Schartl M & Gutzeit HO. Hormonal induction and stability of monosex populations in the medaka (*Oryzias latipes*): expression of sex-specific marker genes. **Biol Reprod** 69, 673-678, (2003).
- I/145. Delfgaauw J, Duschl J, Wellbrock C, Froschauer C, Schartl M & Altschmied J. MITF-M plays an essential role in transcriptional activation and signal transduction in *Xiphophorus* melanoma. **Gene** 320, 117-126, (2003).
- I/146. Winkler C, Schäfer M, Duschl J, Schartl M & Volff JN. Functional divergence of two zebrafish midkine growth factors following fish-specific gene duplication. **Genome Res** 13, 1067-1081, (2003).
- I/147. Wagner TU, Renn J, Riemensperger T, Volff J-N, Köster RW, Goerlich W, Schartl M & Winkler C. The teleost fish medaka (*Oryzias latipes*) as genetic model to study gravity dependent bone homeostasis in vivo. **Advances in Space Research** 32, 1459-1465, (2003).
- I/148. Bejar J, Hong Y & Schartl M. Mitf expression is sufficient to direct differentiation of medaka blastula derived stem cells to melanocytes. **Development** 130, 6545-6553, (2003).
- I/149. Veith AM, Froschauer A, Körting C, Nanda I, Hanel R, Schmid M, Schartl M & Volff JN. Cloning of the *dmrt1* gene of *Xiphophorus maculatus*: dmY/dmrt1Y is not the master sex-determining gene in the platyfish. **Gene** 317, 59-66, (2003).
- I/150. Gomez A, Volff JN, Hornung U, Schartl M & Wellbrock C. Identification of a second *egfr* gene in *Xiphophorus* uncovers an expansion of the epidermal growth factor receptor family in fish. **Mol Biol Evol** 21, 266-275, (2004).
- I/151. Meyer M & Schartl M. *Xiphophorus kallmani* sp. n. - a new species of swordtail from Mexico (Teleostei, Cyprinodontiformes, Poeciliidae). **Zool. Abh. (Dresden)** 53, 57-64, (2003).
- I/152. Hornung U, Nanda I, Kondo M, Shimizu A, Shuichi A, Volff JN, Winkler C, Shan Z, Haaf T, Shimizu N, Shima A, Schmid M & Schartl M. DMRT genes and sex determination in medaka. **Chromosome Today** 14, 27-37, (2004).
- I/153. Schartl M. A comparative view on sex determination in medaka. **Mech Dev** 121, 639-645, (2004).
- I/154. Winkler C, Hornung U, Kondo M, Neuner C, Duschl J, Shima A & Schartl M. Developmentally regulated and non-sex-specific expression of autosomal *dmrt* genes in embryos of the Medaka fish (*Oryzias latipes*). **Mech Dev** 121, 997-1005, (2004).
- I/155. Hong Y, Winkler C, Liu T, Chai G & Schartl M. Activation of the mouse Oct4 promoter in medaka embryonic stem cells and its use for ablation of spontaneous differentiation. **Mech Dev** 121, 933-943, (2004).
- I/156. Lamatsch DK, Nanda I, Schlupp I, Epplen JT, Schmid M & Schartl M. Distribution and stability of supernumerary microchromosomes in natural populations of the Amazon molly, *Poecilia formosa*. **Cytogenet Genome Res** 106, 189-194, (2004).
- I/157. Kondo M, Nanda I, Hornung U, Schmid M & Schartl M. Evolutionary origin of the medaka Y chromosome. **Curr Biol** 14, 1664-1669, (2004).
- I/158. Schäfer M, Kinzel D, Neuner C, Schartl M, Volff JN & Winkler C. Hedgehog and retinoid signalling confines *nkx2.2b* expression to the lateral floor plate of the zebrafish trunk. **Mech Dev** 122, 43-56, (2005).
- I/159. Luo J, Sanetra M, Schartl M & Meyer A. Strong reproductive skew among males in the multiply mated swordtail *Xiphophorus multilineatus* (Teleostei). **J Hered** 96, 346-355, (2005).
- I/160. Meyer MK, Schneider K, Radda AC, Wilde B & Schartl M. A new species of *Poecilia*, subgenus *Mollienesia*, from upper Río Cahabón system, Guatemala, with remarks on the Nomenclature of *Mollienesia petenensis* Günther, 1866 (Teleostei: Cyprinodontiformes: Poeciliidae). **Zool. Abh. Dresden** 54, 145-154, (2004).
- I/161. Kazianis S, Nairn R, Walter RB, Johnston DA, Kumar J, Trono D, Della-Coletta L, Gimenez-Conti I, Rains JD, Williams EL, Pino BM, Mamerow MM, Kochan KJ, Schartl M, Vielkind JR, Volff JN, Woolcock B & Morizot DC. The genetic map of *Xiphophorus* fishes represented by 24 multipoint linkage groups. **Zebrafish** 1, 287-304, (2004).
- I/162. Lampert KP, Lamatsch DK, Epplen JT & Schartl M. Evidence for a monophyletic origin of triploid clones of the Amazon molly, *Poecilia formosa*. **Evolution Int J Org Evolution** 59, 881-889, (2005).
- I/163. Schmid M, Nanda I, Hoehn H, Schartl M, Haaf T, Buerstedde JM, Arakawa H, Caldwell RB, Weigend S, Burt DW, Smith J, Griffin DK, Masabanda JS, Groenen MA, Crooijmans RP, Vignal A, Fillon V, Morisson M, Pitel F, Vignoles M, Garrigues A, Gellin J, Rodionov AV, Galkina SA, Lukina NA, Ben-Ari G, Blum S, Hillel J, Twito T, Lavi U, David L, Feldman MW, Delany ME, Conley CA, Fowler VM, Hedges SB, Godbout R, Katyal S, Smith C, Hudson Q, Sinclair A &

- Mizuno S. Second report on chicken genes and chromosomes 2005. **Cytogenet Genome Res** 109, 415-479, (2005).
- I/164. Schäfer M, Rembold M, Wittbrodt J, Scharl M & Winkler C. Medial floor plate formation in zebrafish consists of two phases and requires trunk-derived Midkine-a. **Genes Dev** 19, 897-902, (2005).
- I/165. Sasaki T, Asakawa S, Shimizu A, Ishikawa SK, Imai S, Himmelbauer H, Mitani H, Furutani-Seiki M, Kondoh H, Scharl M, Hori H, Shima A & Shimizu N. Medaka genome mapping and sequencing: Toward complete genome sequence. **Marine Biotechnology** 6, S445-S448, (2004).
- I/166. Klüver N, Kondo M, Herpin A, Mitani H & Scharl M. Divergent expression patterns of Sox9 duplicates in teleosts indicate a lineage specific subfunctionalization. **Dev Genes Evol** 215, 297-305, (2005).
- I/167. Scharl M, Hornung U, Hissmann K, Schauer J & Fricke H. Genetic relatedness among east African coelacanths. **Nature** 435, 901, (2005).
- I/168. Stöck M, Steinlein C, Lamatsch D, Scharl M & M. S. Multiple origins of tetraploid taxa in the Eurasian *Bufo viridis* subgroup. **Genetica** 124, 255-272, (2005).
- I/169. Wellbrock C, Weisser C, Hassel JC, Fischer P, Becker J, Vetter CS, Behrmann I, Kortylewski M, Heinrich PC & Scharl M. STAT5 contributes to interferon resistance of melanoma cells. **Curr Biol** 15, 1629-1639, (2005).
- I/170. Winnemoeller D, Wellbrock C & Scharl M. Activating mutations in the extracellular domain of the melanoma inducing receptor Xmrk are tumorigenic in vivo. **Int J Cancer** 117, 723-729, (2005).
- I/171. Renn J, Seibt D, Goerlich R, Scharl M & Winkler C. Simulated microgravity upregulates gene expression of the skeletal regulator Core binding Factor α 1/Runx2 in Medaka fish larvae in vivo. **J Adv Space Res** 38, 1025-1031, (2006).
- I/172. Bollig F, Mehlinger R, Perner B, Hartung C, Schäfer M, Scharl M, Volf JN, Winkler C & Englert C. Identification and comparative expression analysis of a second wt1 gene in zebrafish. **Dev Dyn** 235, 554-561, (2006).
- I/173. Lampert KP, Lamatsch DK, Schories S, Hopf A, De Leon FJG & Scharl M. Microsatellites for the gynogenetic Amazon molly, *Poecilia formosa*: useful tools for detection of mutation rate, ploidy determination and overall genetic diversity. **Journal of Genetics** 85, 67-71, (2006).
- I/174. Nanda I, Karl E, Volobouev V, Griffin DK, Scharl M & Schmid M. Extensive gross genomic rearrangements between chicken and Old World vultures (Falconiformes: Accipitridae). **Cytogenet Genome Res** 112, 286-295, (2006).
- I/175. Renn J, Schaedel M, Volf JN, Goerlich R, Scharl M & Winkler C. Dynamic expression of sparc precedes formation of skeletal elements in the Medaka (*Oryzias latipes*). **Gene**, (2006).
- I/176. Meierjohann S, Wende E, Kraiss A, Wellbrock C & Scharl M. The oncogenic epidermal growth factor receptor variant *Xiphophorus* melanoma receptor kinase induces motility in melanocytes by modulation of focal adhesions. **Cancer Res** 66, 3145-3152, (2006).
- I/177. Meyer A, Salzburger W & Scharl M. Hybrid origin of a swordtail species (Teleostei: *Xiphophorus clemenciae*) driven by sexual selection. **Mol Ecol** 15, 721-730, (2006).
- I/178. Zunker K, Epplen JT & Scharl M. Genomic stability in malignant melanoma of *Xiphophorus*. **Melanoma Res** 16, 105-113, (2006).
- I/179. Veith AM, Schäfer M, Klüver N, Schmidt C, Schultheis C, Scharl M, Winkler C & Volf JN. Tissue-specific expression of dmrt genes in embryos and adults of the platyfish *Xiphophorus maculatus*. **Zebrafish** 3, 325-337, (2006).
- I/180. Meierjohann S, Müller T, Scharl M & Bühner M. A structural model of the extracellular domain of the oncogenic EGFR variant Xmrk. **Zebrafish** 3, 359-369, (2006).
- I/181. Schmid M, Ziegler CG, Steinlein C, Nanda I & Scharl M. Cytogenetics of the bleak (*Alburnus alburnus*), with special emphasis on the B chromosomes. **Chromosome Res** 14, 231-242, (2006).
- I/182. Kondo M, Hornung U, Nanda I, Imai S, Sasaki T, Shimizu A, Asakawa S, Hori H, Schmid M, Shimizu N & Scharl M. Genomic organization of the sex-determining and adjacent regions of the sex chromosomes of medaka. **Genome Res** 16, 815-826, (2006).
- I/183. Maier SM, Scherer SJ, Seifert M, Hanselmann RG, Schleehuber Y, Edelmann L, Reichrath J, Krohne G, Rescher U, Seidl W, Mutschler W, Claes L, Welter C & Scharl M. 1[α],25-dihydroxyvitamin D(3) enhances annexin II dependent proliferation of osteoblasts. **J Cell Biochem** 100, 679-692, (2007).

- I/184. Schultheis C, Zhou Q, Froschauer A, Nanda I, Selz Y, Schmidt C, Matschl S, Wenning M, Veith A-M, Naciri M, Hanel R, Braasch I, Dettai A, Böhne A, Ozouf-Costaz C, Chilmunczyk S, Ségurens B, Couloux A, Bernard-Samain S, Schmid M, Schartl M & Volff JN. *Molecular analysis of the sex-determining region of the platyfish Xiphophorus maculatus*. **Zebrafish** 3, 295-305, (2006).
- I/185. Schartl M, Meyer MK & Wilde B. Description of *Priapella chamulae* sp. n. - a new poeciliid fish from the upper río Grijalva system, Tabasco, Mexico (Teleostei: Cyprinodontiformes: Poeciliidae). **Zool. Abh. (Dresden)** 55, 59-67, (2006).
- I/186. Sasaki T, Shimizu A, Ishikawa SK, Imai S, Asakawa S, Murayama Y, Khorasani MZ, Mitani H, Furutani-Seiki M, Kondoh H, Nanda I, Schmid M, Schartl M, Nonaka M, Takeda H, Hori H, Himmelbauer H, Shima A & Shimizu N. The DNA sequence of medaka chromosome LG22. **Genomics** 89, 124-133, (2007).
- I/187. Klüver N, Pfennig F, Pala I, Storch K, Schlieder M, Froschauer A, Gutzeit HO & Schartl M. Differential expression of anti-Mullerian hormone (amh) and anti-Mullerian hormone receptor type II (amhrII) in the teleost medaka. **Dev Dyn** 236, 271-281, (2007).
- I/188. Herpin A, Rohr S, Riedel D, Klüver N, Raz E & Schartl M. Specification of primordial germ cells in medaka (*Oryzias latipes*). **BMC Developmental Biology** 7, 3, (2007).
- I/189. Braasch I, Schartl M & Volff JN. Evolution of pigment synthesis pathways by gene and genome duplication in fish. **BMC Evolutionary Biology** 7, 74, (2007).
- I/190. Schories S, Lampert KP, Lamatsch DK, Garcia de Leon FJ & Schartl M. Analysis of a possible independent origin of triploid *P. formosa* outside of the Rio Purificacion river system. **Frontiers in Zoology** 4, 13, (2007).
- I/191. Lampert KP, Steinlein C, Schmid M, Fischer P & Schartl M. A haploid-diploid-triploid mosaic of the Amazon molly, *Poecilia formosa*. **Cytogenet Genome Res** 119, 131-134, (2007).
- I/192. Böhne A, Schultheis C, Zhou Q, Froschauer A, Schmidt C, Selz Y, Braasch I, Ozouf-Costaz C, Dettai A, Ségurens B, Couloux A, Bernard-Samain S, Chilmunczyk S, Gannouni A, Madani K, Brunet F, Galiana-Arnoux D, Schartl M & Volff JN. Identification of new gene candidates on the sex chromosomes of the platyfish *Xiphophorus maculatus*. **Cybiu** 32, suppl. 69-71, (2008).
- I/193. Nanda I, Karl E, Griffin DK, Schartl M & Schmid M. Chromosome repatterning in three representative parrots (Psittaciformes) inferred from comparative chromosome painting. **Cytogenet Genome Res** 117, 43-53, (2007).
- I/194. Hornung U, Herpin A & Schartl M. Expression of the male determining gene *dmrt1bY* and its autosomal coorthologue *dmrt1a* in medaka. **Sex Dev** 1, 197-206, (2007).
- I/195. Selz Y, Braasch I, Hoffmann C, Schmidt C, Schultheis C, Schartl M & Volff JN. Evolution of melanocortin receptors in teleost fish: The melanocortin type I receptor. **Gene** 401, 114-122, (2007).
- I/196. Nanda I, Schlupp I, Lamatsch DK, Lampert KP, Schmid M & Schartl M. Stable inheritance of host species-derived microchromosomes in the gynogenetic fish *Poecilia formosa*. **Genetics** 177, 917-926, (2007).
- I/197. Lampert KP, Lamatsch DK, Fischer P, Epplen JT, Nanda I, Schmid M & Schartl M. Automictic reproduction in interspecific hybrids of poeciliid fish. **Curr Biol** 17, 1948-1953, (2007).
- I/198. Herpin A, Schindler D, Kraiss A, Hornung U, Winkler C & Schartl M. Inhibition of primordial germ cell proliferation by the medaka male determining gene *Dmrt I bY*. **BMC Developmental Biology** 7, 99, (2007).
- I/199. Lampert KP, Lamatsch DK, Fischer P & Schartl M. A tetraploid Amazon molly, *Poecilia formosa*. **J Heredity** 99, 223-226, (2008).
- I/200. Herpin A, Fischer P, Liedtke D, Klüver N, Neuner C, Raz E & Schartl M. Sequential SDF1a and b-induced mobility guides medaka PGC migration. **Dev Biol** 320, 319-327, (2008).
- I/201. Lampert KP & Schartl M. The origin and evolution of a unisexual hybrid: *Poecilia formosa*. **Philosophical Transactions of the Royal Society of London** 363, 2901-2909, (2008).
- I/202. Pala I, Klüver N, Thorsteinsdottir S, Schartl M & Coelho MM. Expression pattern of anti-Mullerian hormone (amh) in the hybrid fish complex of *Squalius alburnoides*. **Gene** 410, 249-258, (2008).
- I/203. Lamatsch DK, Fischer P, Lampert KP, Geiger M, Schlupp I & Schartl M. Diploid Amazon mollies (*Poecilia formosa*) show a higher fitness than triploids in clonal competition experiments. **Evol Ecol** 23, 687-697, (2008).
- I/204. Leikam C, Hufnagel A, Schartl M & Meierjohann S. Oncogene activation in melanocytes links reactive oxygen to multinucleated phenotype and senescence. **Oncogene** 27, 7070-7082, (2008).

- I/205. Pala I, Coelho MM & Schartl M. Dosage compensation by gene-copy silencing in a triploid hybrid fish. **Curr Biol** 18, 1344-1348, (2008).
- I/206. Wagner TU, Kräussling M, Fedorov LM, Reiss C, Kneitz B & Schartl M. STAT3 and SMAD1 signalling in medaka embryonic stem-like cells and blastula embryos. **Stem cells and development** 18, 151-160, (2008).
- I/207. Teutschbein J, Schartl M & Meierjohann S. Interaction of Xiphophorus and murine Fyn with Focal Adhesion Kinase. **Comp Biochem Phys C** 149, 168-174, (2009).
- I/208. Hassel JC, Winnemoller D, Schartl M & Wellbrock C. STAT5 contributes to antiapoptosis in melanoma. **Melanoma Res** 18, 378-385, (2008).
- I/209. Klüver N, Herpin A, Braasch I, Driessle J & Schartl M. Regulatory back-up circuit of medaka Wt1 co-orthologs ensures PGC maintenance. **Dev Biol** 325, 179-188, (2009).
- I/210. Nanda I, Schlegelmilch K, Haaf T, Schartl M & Schmid M. Synteny conservation of the Z chromosome in 14 avian species (11 families) supports a role for Z dosage in avian sex determination. **Cytogenet Genome Res** 122, 150-156, (2008).
- I/211. Braasch I, Volff JN & Schartl M. The endothelin system: evolution of vertebrate-specific ligand-receptor interactions by three rounds of genome duplication. **Mol Biol Evol** 26, 783-799, (2009).
- I/212. Lokaj K, Meierjohann S, Schuetz C, Teutschbein J, Schartl M & Sickmann A. Quantitative Differential Proteome Analysis in an Animal Model for Human Melanoma. **Journal of Proteome Research** 8, 1818-1827, (2009).
- I/213. Lampert KP, Fischer P & Schartl M. Major histocompatibility complex variability in the clonal Amazon molly, *Poecilia formosa*: is copy number less important than genotype? **Mol Ecol** 18, 1124-1136, (2009).
- I/214. Reichwald K, Lauber C, Nanda I, Kirschner J, Hartmann N, Schories S, Gausmann U, Taudien S, Schilhabel MB, Szafranski K, Glöckner G, Schmid M, Cellerino A, Schartl M, Englert C & Platzer M. High tandem repeat content in the genome of the short-lived annual fish *Nothobranchius furzeri*: a new vertebrate model for aging research. **Genome biology** 10, R16, (2009).
- I/215. Schultheis C, Böhne A, Schartl M, Volff JN & Galiana-Arnoux D. Sex determination diversity and sex chromosome evolution in Poeciliid fish. **Sex Dev** 3, 68-77, (2009).
- I/216. Böhne A, Schultheis C, Galiana-Arnoux D, Froschauer A, Zhou QC, Schmidt C, Selz Y, Ozouf-Costaz C, Dettai A, Segurens B, Couloux A, Bernard-Samain S, Barbe V, Chilmonczyk S, Brunet F, Darras A, Tomaszewicz M, Semon M, Schartl M & Volff JN. Molecular analysis of the sex chromosomes of the platyfish *Xiphophorus maculatus*: Towards the identification of a new type of master sexual regulator in vertebrates. **Integrative Zoology** 4, 277-284, (2009).
- I/217. Schartl M, Wilde B, Laisney JA, Taniguchi Y, Takeda S & Meierjohann S. A mutated EGFR is sufficient to induce malignant melanoma with genetic background-dependent histopathologies. **J Invest Dermatol** 130, 249-258, (2010).
- I/218. Pala I, Schartl M, Thorsteinsdottir S & Coelho MM. Sex determination in the *Squalius alburnoides* complex: an initial characterization of sex cascade elements in the context of a hybrid polyploid genome. **PLoS one** 4, e6401, (2009).
- I/219. Braasch I, Liedtke D, Volff JN & Schartl M. Pigmentary function and evolution of tyrp1 gene duplicates in fish. **Pigment cell & melanoma research** 22, 839-850, (2009).
- I/220. Herpin A, Nakamura S, Wagner TU, Tanaka M & Schartl M. A highly conserved cis-regulatory motif directs differential gonadal synexpression of Dmrt1 transcripts during gonad development. **Nucleic Acids Res** 37, 1510-1520, (2009).
- I/221. Stöck M, Ustinova J, Lamatsch DK, Schartl M, Perrin N & Moritz C. A vertebrate reproductive system involving three ploidy levels: Hybrid origin of triploids in a contact zone of diploid and tetraploid. **Evolution** 64, 944-959, (2009).
- I/222. Schories S, Meyer MK & Schartl M. Description of *Poecilia (Acanthophaeus) obscura n. sp.*, (Teleostei: Poeciliidae), a new guppy species from western Trinidad, with remarks on *P. wingei* and the status of the "Endler's guppy". **Zootaxa**, 35-50, (2009).
- I/223. Braasch I, Brunet F, Volff JN & Schartl M. Pigmentation pathway evolution after whole-genome duplication in fish. **Genome Biology and Evolution**, 479-493, (2009).
- I/224. Hong N, Li MY, Zeng ZQ, Yi MS, Deng JR, Gui JF, Winkler C, Schartl M & Hong YH. Accessibility of host cell lineages to medaka stem cells depends on genetic background and irradiation of recipient embryos. **Cellular and Molecular Life Sciences** 67, 1189-1202, (2010).
- I/225. Herpin A, Braasch I, Kräussling M, Schmidt C, Thoma EC, Nakamura S, Tanaka M & Schartl M. Transcriptional rewiring of the sex determining dmrt1 gene duplicate by transposable elements. **PLoS Genetics** 6, e1000844, (2010).

- 1/226. Hansmann T, Nanda I, Volobouev V, Yang F, Schartl M, Haaf T & Schmid M. Cross-species chromosome painting corroborates microchromosome fusion during karyotype evolution of birds. **Cytogenet Genome Res** 126, 281-304, (2009).
- 1/227. Laisney JA, Braasch I, Walter RB, Meierjohann S & Schartl M. Lineage-specific co-evolution of the Egf receptor/ligand signaling system. **BMC Evolutionary Biology** 10, 27, (2010).
- 1/228. Eberle J, Spangler B, Becker JC, Heinemann SH, Klein CA, Kunz M, Kuphal S, Langer P, Mauch C, Meierjohann S, Paschen A, Schadendorf D, Schartl M, Schittek B, Schönherr R, Tüting T, Zigrino P & Bosserhoff AK. Multicentre study on standardisation of melanoma cell culture - an initiative of the German Melanoma Research Network. **Pigment cell & melanoma research** 23, 296-298, (2010).
- 1/229. Matos I, Machado MP, Sucena E, Collares-Pereira MJ, Schartl M & Coelho MM. Evidence for hermaphroditism in the *Squalius alburnoides* allopolyploid fish complex. **Sex Dev** 4, 170-175, (2010).
- 1/230. Meyer MK, Schories S & Schartl M. Description of *Gambusia zarskei* sp. n. – a new poeciliid fish from the upper Rio Conchos system, Chihuahua, Mexico (Teleostei: Cyprinodontiformes: Poeciliidae). **Vertebrate Zoology** 60, 11-18, (2010).
- 1/231. Zhou Q, Braasch I, Froschauer A, Böhne A, Schultheis C, Schartl M & Volff JN. A novel marker for the platyfish (*Xiphophorus maculatus*) W chromosome is derived from a Polinton transposon. **J Genet Genomics** 37, 181-188, (2010).
- 1/232. Pala I, Schartl M, Brito M, Vacas JM & Coelho MM. Gene expression regulation and lineage evolution: the North and South tale of the hybrid polyploid *Squalius alburnoides* complex. **Proceedings** 277, 3519-3525, (2010).
- 1/233. Schlupp I, Riesch R, Tobler M, Plath M, Parzefall J & Schartl M. A novel, sexually selected trait in poeciliid fishes: Female preference for mustache-like, rostral filaments in male *Poecilia sphenops*. **Behav Ecol Sociobiol** 64, 1849–1855, (2010).
- 1/234. Teutschbein J, Haydn JM, Samans B, Krause M, Eilers M, Schartl M & Meierjohann S. Gene expression analysis after receptor tyrosine kinase activation reveals new potential melanoma proteins. **BMC cancer** 10, 386, (2010).
- 1/235. Meierjohann S, Hufnagel A, Wende E, Kleinschmidt MA, Wolf K, Friedl P, Gaubatz S & Schartl M. MMP13 mediates cell cycle progression in melanocytes and melanoma cells: in vitro studies of migration and proliferation. **Molecular cancer** 9, 201, (2010).
- 1/236. Lamatsch DK, Stöck M, Fuchs R, Dobler M, Wacker R, Parzefall J, Schlupp I & Schartl M. Morphology, testes development and behaviour of unusual triploid males in microchromosome-carrying clones of *Poecilia formosa*. **J Fish Biol** 77, 1459-1487, (2010).
- 1/237. Lampert KP, Schmidt C, Fischer P, Volff JN, Hoffmann C, Muck J, Lohse MJ, Ryan MJ & Schartl M. Determination of onset of sexual maturation and mating behavior by melanocortin receptor 4 polymorphisms. **Curr Biol** 20, 1729-1734, (2010).
- 1/238. Stöck M, Lampert KP, Moller D, Schlupp I & Schartl M. Monophyletic origin of multiple clonal lineages in an asexual fish (*Poecilia formosa*). **Mol Ecol** 19, 5204-5215, (2010).
- 1/239. Liedtke D, Erhard I & Schartl M. snail gene expression in the medaka, *Oryzias latipes*. **Gene Expr Patterns** 3-4, 181-189, (2010).
- 1/240. Thoma EC, Wagner TU, Weber IP, Herpin A, Fischer A & Schartl M. Ectopic Expression of Single Transcription Factors Directs Differentiation of a Medaka Spermatogonial Cell Line. **Stem Cells Dev** 8, 1425-1438, (2011).
- 1/241. Garcia TI, Shen Y, Catchen J, Amores A, Schartl M, Postlethwait J & Walter RB. Effects of short read quality and quantity on a de novo vertebrate transcriptome assembly. **Comp Biochem Physiol C Toxicol Pharmacol** 155, 95-101, (2012).
- 1/242. Shen Y, Catchen J, Garcia T, Amores A, Beldorth I, Wagner J, Zhang Z, Postlethwait J, Warren W, Schartl M & Walter RB. Identification of transcriptome SNPs between *Xiphophorus* lines and species for assessing allele specific gene expression within F(1) interspecies hybrids. **Comp Biochem Physiol C Toxicol Pharmacol** 155, 102-108, (2012).
- 1/243. Regneri J & Schartl M. Expression regulation triggers oncogenicity of *xmrk* alleles in the *Xiphophorus* melanoma system. **Comp Biochem Physiol C Toxicol Pharmacol** 155, 71-80, (2012).
- 1/244. Meyer MK, Schories S & Schartl M. Description of *Priapella lacandonae* sp n. - a new poeciliid fish from the rio Tulija basin, Grijalva system, Chiapas, Mexico (Teleostei: Cyprinodontiformes: Poeciliidae). **Vertebrate Zoology** 61, 91-97, (2011).

- 1/245. Lamatsch DK, Trifonov V, Schories S, Epplen JT, Schmid M & Scharl M. Isolation of a cancer-associated microchromosome in the sperm-dependent parthenogen *Poecilia formosa*. **Cytogenet Genome Res** 135, 135-142, (2011).
- 1/246. Li Z, Huang X, Zhan H, Zeng Z, Li C, Spitsbergen JM, Meierjohann S, Scharl M & Gong Z. Inducible and repressible oncogene-addicted hepatocellular carcinoma in Tet-on xmrk transgenic zebrafish. **Journal of hepatology** 56, 419-425, (2012).
- 1/247. He X, Yan YL, Eberhart JK, Herpin A, Wagner TU, Scharl M & Postlethwait JH. miR-196 regulates axial patterning and pectoral appendage initiation. **Dev Biol** 357, 463-477, (2011).
- 1/248. Stock M, Ustinova J, Betto-Colliard C, Scharl M, Moritz C & Perrin N. Simultaneous Mendelian and clonal genome transmission in a sexually reproducing, all-triploid vertebrate. **Proceedings** 279, 1293-1299, (2012).
- 1/249. Bohne A, Zhou Q, Darras A, Schmidt C, Scharl M, Galiana-Arnoux D & Volff JN. Zisupton--a novel superfamily of DNA transposable elements recently active in fish. **Mol Biol Evol** 29, 631-645, (2012).
- 1/250. Thoma EC, Maurus K, Wagner TU & Scharl M. Parallel differentiation of embryonic stem cells into different cell types by a single gene-based differentiation system. **Cellular reprogramming** 14, 106-111, (2012).
- 1/251. McFarlane L, Svingen T, Braasch I, Koopman P, Scharl M & Wilhelm D. Expansion of the Ago gene family in the teleost clade. **Dev Genes Evol** 221, 95-104, (2011).
- 1/252. Matos I, Sucena E, Machado MP, Gardner R, Inacio A, Scharl M & Coelho MM. Ploidy mosaicism and allele-specific gene expression differences in the allopolyploid *Squalius alburnoides*. **BMC genetics** 12, 101, (2011).
- 1/253. Wagner TU, Fischer A, Thoma EC & Scharl M. CrossQuery: a web tool for easy associative querying of transcriptome data. **PLoS one** 6, e28990, (2011).
- 1/254. Kraeussling M, Wagner TU & Scharl M. Highly asynchronous and asymmetric cleavage divisions accompany early transcriptional activity in pre-blastula medaka embryos. **PLoS one** 6, e21741, (2011).
- 1/255. Scharl M, Kneitz S, Wilde B, Wagner T, Henkel CV, Spaink HP & Meierjohann S. Conserved expression signatures between medaka and human pigment cell tumors. **PLoS one** 7, e37880, (2012).
- 1/256. Lampert KP, Fricke H, Hissmann K, Schauer J, Blassmann K, Ngatunga BP & Scharl M. Population divergence in East African coelacanth. **Curr Biol** 22, R439-440, (2012).
- 1/257. Laisney JA, Mueller TD, Scharl M & Meierjohann S. Hyperactivation of constitutively dimerized oncogenic EGF receptors by autocrine loops. **Oncogene** 32, 2403-2411, (2013).
- 1/258. Thoma EC, Wischmeyer E, Offen N, Maurus K, Siren AL, Scharl M & Wagner TU. Ectopic expression of neurogenin 2 alone is sufficient to induce differentiation of embryonic stem cells into mature neurons. **PLoS one** 7, e38651, (2012).
- 1/259. Menescal LA, Schmidt C, Liedtke D & Scharl M. Liver hyperplasia after tamoxifen induction of Myc in a transgenic medaka model. **Disease models & mechanisms** 5, 492-502, (2012).
- 1/260. Leikam C, Hufnagel A, Walz S, Kneitz S, Fekete A, Muller MJ, Eilers M, Scharl M & Meierjohann S. Cystathionase mediates senescence evasion in melanocytes and melanoma cells. **Oncogene** 33, 771-782, (2014).
- 1/261. Forconi M, Canapa A, Barucca M, Biscotti MA, Capriglione T, Buonocore F, Fausto AM, Makapedua DM, Pallavicini A, Gerdol M, De Moro G, Scapigliati G, Olmo E & Scharl M. Characterization of sex determination and sex differentiation genes in *Latimeria*. **PLoS one** 8, e56006, (2013).
- 1/262. Kang JH, Scharl M, Walter RB & Meyer A. Comprehensive phylogenetic analysis of all species of swordtails and platies (Pisces: Genus *Xiphophorus*) uncovers a hybrid origin of a swordtail fish, *Xiphophorus monticolus*, and demonstrates that the sexually selected sword originated in the ancestral lineage of the genus, but was lost again secondarily. **BMC Evolutionary Biology** 13, 25, (2013).
- 1/263. Jones JC, Fan S, Franchini P, Scharl M & Meyer A. The evolutionary history of *Xiphophorus* fish and their sexually selected sword: a genome-wide approach using restriction site-associated DNA sequencing. **Mol Ecol** 22, 2986-3001, (2013).
- 1/264. Scharl M, Walter RB, Shen Y, Garcia T, Catchen J, Amores A, Braasch I, Chalopin D, Volff JN, Lesch KP, Bisazza A, Minx P, Hillier L, Wilson RK, Fuerstenberg S, Boore J, Searle S, Postlethwait JH & Warren WC. The genome of the platyfish, *Xiphophorus maculatus*, provides insights into evolutionary adaptation and several complex traits. **Nat Genet** 45, 567-572, (2013).

- I/265. Schul D, Schmitt A, Regneri J, Scharl M & Wagner TU. Burst BMP triggered receptor kinase activity drives Smad1 mediated long-term target gene oscillation in C2C12 cells. **PLoS one** 8, e59442, (2013).
- I/266. Amemiya CT, Alföldi J, Lee AP, Fan S, Philippe H, Maccallum I, Braasch I, Manousaki T, Schneider I, Rohner N, Organ C, Chalopin D, Smith JJ, Robinson M, Dorrington RA, Gerdol M, Aken B, Biscotti MA, Barucca M, Baurain D, Berlin AM, Blatch GL, Buonocore F, Burmester T, Campbell MS, Canapa A, Cannon JP, Christoffels A, De Moro G, Edkins AL, Fan L, Fausto AM, Feiner N, Forconi M, Gamielien J, Gnerre S, Gnirke A, Goldstone JV, Haerty W, Hahn ME, Hesse U, Hoffmann S, Johnson J, Karchner SI, Kuraku S, Lara M, Levin JZ, Litman GW, Mauceli E, Miyake T, Mueller MG, Nelson DR, Nitsche A, Olmo E, Ota T, Pallavicini A, Panji S, Picone B, Ponting CP, Prohaska SJ, Przybylski D, Saha NR, Ravi V, Ribeiro FJ, Sauka-Spengler T, Scapigliati G, Searle SM, Sharpe T, Simakov O, Stadler PF, Stegeman JJ, Sumiyama K, Tabbaa D, Tafer H, Turner-Maier J, van Heusden P, White S, Williams L, Yandell M, Brinkmann H, Voff JN, Tabin CJ, Shubin N, Scharl M, Jaffe DB, Postlethwait JH, Venkatesh B, Di Palma F, Lander ES, Meyer A & Lindblad-Toh K. The African coelacanth genome provides insights into tetrapod evolution. **Nature** 496, 311-316, (2013).
- I/267. Yan Y, Hong N, Chen T, Li M, Wang T, Guan G, Qiao Y, Chen S, Scharl M, Li CM & Hong Y. p53 gene targeting by homologous recombination in fish ES cells. **PLoS one** 8, e59400, (2013).
- I/268. Hong N, He BP, Scharl M & Hong Y. Medaka embryonic stem cells are capable of generating entire organs and embryo-like miniatures. **Stem cells and development** 22, 750-757, (2013).
- I/269. Shen Y, Garcia T, Pabuwal V, Boswell M, Pasquali A, Beldorth I, Warren W, Scharl M, Cresko WA & Walter RB. Alternative strategies for development of a reference transcriptome for quantification of allele specific expression in organisms having sparse genomic resources. **Comparative biochemistry and physiology. Part D, Genomics & proteomics** 8, 11-16, (2013).
- I/270. Forconi M, Biscotti MA, Barucca M, Buonocore F, De Moro G, Fausto AM, Gerdol M, Pallavicini A, Scapigliati G, Scharl M, Olmo E & Canapa A. Characterization of purine catabolic pathway genes in coelacanths. **Journal of experimental zoology. Part B, Molecular and developmental evolution** 322, 334-341, (2014).
- I/271. Schaafhausen MK, Yang WJ, Centanin L, Wittbrodt J, Bosserhoff A, Fischer A, Scharl M & Meierjohann S. Tumor angiogenesis is caused by single melanoma cells in a manner dependent on reactive oxygen species and NF-kappaB. **Journal of cell science** 126, 3862-3872, (2013).
- I/272. Chalopin D, Fan S, Simakov O, Meyer A, Scharl M & Voff JN. Evolutionary active transposable elements in the genome of the coelacanth. **Journal of experimental zoology. Part B, Molecular and developmental evolution** 322, 322-333, (2014).
- I/273. Herpin A, Adolphi MC, Nicol B, Hinzmann M, Schmidt C, Klughammer J, Engel M, Tanaka M, Guiguen Y & Scharl M. Divergent expression regulation of gonad development genes in medaka shows incomplete conservation of the downstream regulatory network of vertebrate sex determination. **Mol Biol Evol** 30, 2328-2346, (2013).
- I/274. Lampert KP, Blassmann K, Hissmann K, Schauer J, Shunula P, el Kharousy Z, Ngatunga BP, Fricke H & Scharl M. Single-male paternity in coelacanths. **Nature communications** 4, 2488, (2013).
- I/275. Ansai S, Inohaya K, Yoshiura Y, Scharl M, Uemura N, Takahashi R & Kinoshita M. Design, evaluation, and screening methods for efficient targeted mutagenesis with transcription activator-like effector nucleases in medaka. **Development, growth & differentiation** 56, 98-107, (2014).
- I/276. Voff JN, Selz Y, Hoffmann C, Froschauer A, Schultheis C, Schmidt C, Zhou Q, Bernhardt W, Hanel R, Bohne A, Brunet F, Segurens B, Couloux A, Bernard-Samain S, Barbe V, Ozouf-Costaz C, Galiana D, Lohse MJ & Scharl M. Gene amplification and functional diversification of melanocortin 4 receptor at an extremely polymorphic locus controlling sexual maturation in the platyfish. **Genetics** 195, 1337-1352, (2013).
- I/277. Liedtke D, Erhard I, Abe K, Furutani-Seiki M, Kondoh H & Scharl M. Xmrk-induced melanoma progression is affected by Sdf1 signals through Cxcr7. **Pigment cell & melanoma research** 27, 221-233, (2014).
- I/278. Scarpino SV, Hunt PJ, Garcia-De-Leon FJ, Juenger TE, Scharl M & Kirkpatrick M. Evolution of a genetic incompatibility in the genus Xiphophorus. **Mol Biol Evol** 30, 2302-2310, (2013).
- I/279. Chen S, Zhang G, Shao C, Huang Q, Liu G, Zhang P, Song W, An N, Chalopin D, Voff JN, Hong Y, Li Q, Sha Z, Zhou H, Xie M, Yu Q, Liu Y, Xiang H, Wang N, Wu K, Yang C, Zhou Q,

- Liao X, Yang L, Hu Q, Zhang J, Meng L, Jin L, Tian Y, Lian J, Yang J, Miao G, Liu S, Liang Z, Yan F, Li Y, Sun B, Zhang H, Zhang J, Zhu Y, Du M, Zhao Y, Schartl M, Tang Q & Wang J. Whole-genome sequence of a flatfish provides insights into ZW sex chromosome evolution and adaptation to a benthic lifestyle. **Nat Genet** 46, 253-260, (2014).
- 1/280. Mishra RR, Kneitz S & Schartl M. Comparative analysis of melanoma deregulated miRNAs in the medaka and Xiphophorus pigment cell cancer models. **Comp Biochem Physiol C Toxicol Pharmacol** 163, 64-76, (2014).
- 1/281. Smith CC, Harris RM, Lampert KP, Schartl M, Hofmann HA & Ryan MJ. Copy number variation in the melanocortin 4 receptor gene and alternative reproductive tactics the swordtail Xiphophorus multilineatus. **Environ Biol Fish**, 1-11, (2014).
- 1/282. Tomaszewicz M, Chalopin D, Schartl M, Galiana D & Voff JN. A multicopy Y-chromosomal SGNH hydrolase gene expressed in the testis of the platyfish has been captured and mobilized by a Helitron transposon. **BMC genetics** 15, 44, (2014).
- 1/283. Amores A, Catchen J, Nanda I, Warren W, Walter R, Schartl M & Postlethwait JH. A RAD-Tag Genetic Map for the Platyfish (*Xiphophorus maculatus*) Reveals Mechanisms of Karyotype Evolution Among Teleost Fish. **Genetics** 197, 625-641, (2014).
- 1/284. Hong N, Schartl M & Hong Y. Derivation of stable zebrafish ES-like cells in feeder-free culture. **Cell and tissue research** 357, 623-632, (2014).
- 1/285. Haydn JM, Hufnagel A, Grimm J, Maurus K, Schartl M & Meierjohann S. The MAPK pathway as an apoptosis enhancer in melanoma. **Oncotarget** 5, 5040-5053, (2014).
- 1/286. Garcia TI, Matos I, Shen Y, Pabuwat V, Coelho MM, Wakamatsu Y, Schartl M & Walter RB. Novel method for analysis of allele specific expression in triploid *Oryzias latipes* reveals consistent pattern of allele exclusion. **PLoS one** 9, e100250, (2014).
- 1/287. Nishimura T, Herpin A, Kimura T, Hara I, Kawasaki T, Nakamura S, Yamamoto Y, Saito TL, Yoshimura J, Morishita S, Tsukahara T, Kobayashi S, Naruse K, Shigenobu S, Sakai N, Schartl M & Tanaka M. Analysis of a novel gene, *Sdgc*, reveals sex chromosome-dependent differences of medaka germ cells prior to gonad formation. **Development** 141, 3363-3369, (2014).
- 1/288. Nanda I, Schories S, Tripathi N, Dreyer C, Haaf T, Schmid M & Schartl M. Sex chromosome polymorphism in guppies. **Chromosoma** 123, 373-383, (2014).
- 1/289. Wilson CA, High SK, McCluskey BM, Amores A, Yan YL, Titus TA, Anderson JL, Batzel P, Carvan MJ, 3rd, Schartl M & Postlethwait JH. Wild sex in zebrafish: loss of the natural sex determinant in domesticated strains. **Genetics** 198, 1291-1308, (2014).
- 1/290. Lamatsch DK, Adolfsson S, Senior AM, Christiansen G, Pichler M, Ozaki Y, Smeds L, Schartl M & Nakagawa S. A Transcriptome Derived Female-Specific Marker from the Invasive Western Mosquitofish (*Gambusia affinis*). **PLoS one** 10, e0118214, (2015).
- 1/291. Matos I, Machado MP, Schartl M & Coelho MM. Gene expression dosage regulation in an allopolyploid fish. **PLoS one** 10, e0116309, (2015).
- 1/292. Leikam C, Hufnagel A, Otto C, Murphy DJ, Mühlhling B, Kneitz S, Nanda I, Schmid M, Wagner TU, Haferkamp S, Bröcker EB, Schartl M & Meierjohann S. In vitro evidence for senescent multinucleated melanocytes as a source for tumor-initiating cells. **Cell Death and Disease** 6, e1711, (2015).
- 1/293. Kang JH, Manousaki T, Franchini P, Kneitz S, Schartl M & Meyer A. Transcriptomics of two evolutionary novelties: how to make a sperm-transfer organ out of an anal fin and a sexually selected "sword" out of a caudal fin. **Ecology and evolution** 5, 848-864, (2015).
- 1/294. Kottler VA, Kunstner A & Schartl M. Pheomelanin in fish? **Pigment cell & melanoma research** 28, 355-356, (2015).
- 1/295. Adolphi MC, Carreira AC, Jesus LW, Bogerd J, Funes RM, Schartl M, Sogayar MC & Borella MI. Molecular cloning and expression analysis of *dmrt1* and *sox9* during gonad development and male reproductive cycle in the lambari fish, *Astyanax altiparanae*. **Reproductive biology and endocrinology : RB&E** 13, 2, (2015).
- 1/296. Herpin A, Englberger E, Zehner E, Wacker R, Gessler M, Schartl M. Defective autophagy through *epg5* mutation results in failure to reduce germ plasm and mitochondria. **FASEB J** 10, 4145-4161 (2015)
- 1/297. Genomic Resources Development Consortium: Álvarez P, Arthofer W, Coelho MM, Conklin D, Estonba A, Grosso AR, Helyar SJ, Langa J, Machado MP, Montes I, Pinho J, Rief A, Schartl M, Schlick-Steiner BC, Seeber J, Steiner FM, Vilas C. Genomic Resources Notes (De novo assembled transcriptome of organs involved in reproduction in an endangered endemic Iberian cyprinid fish (*Squalius pyrenaicus*)). **Mol Ecol Resour** 6, 1510-1512, (2015)

- I/298. Lu Y, Bowswell M, Bowswell W, Yang K, Schartl M, Walter R. Molecular genetic response of *Xiphophorus maculatus* - *X. couchianus* interspecies hybrid skin to UVB exposure. **Comp Biochem Physiol, Part C** 178, 86-92 (2015)
- I/299. Schartl M. Sex determination by multiple sex chromosomes in *Xenopus tropicalis*. Commentary. **PNAS** 112, 10575-10576 (2015)
- I/300. Chalopin D, Volff JN, Galiana D, Anderson J, Schartl M. Transposable elements and early evolution of sex chromosomes in fish. **Chromosome Res** 23, 545-560 (2015)
- I/301. Regneri J, Volff JN, Schartl M. Transcriptional control analyses of the *Xiphophorus* melanoma oncogene. **Comp Biochem Physiol C** 17, 116-27, 2015
- I/302. Uribe MC, Grier HJ, Schartl M. The occurrence of spermatozoa in the ovary of the gynogenetic viviparous teleost *Poecilia formosa* (Poeciliidae) **J Morphology** 277, 341-50 (2015)
- I/303. Reichwald K, Petzold A, Koch, Downie BR, Hartmann N, Pietsch S, Baumgart M, Chalopin D, Felder M, Bens M, Sahm A, Szafranski K, Taudien S, Groth M, Arisi I, Weise A, Bhatt SS, Sharma V, Kraus JM, Schmid F, Priebe S, Liehr T, Görlach M, Than ME, Hiller M, Kestler HA, Volff JN, Schartl M, Cellerino A, Englert C, Platzer M. Insights into Sex Chromosome Evolution and Aging from the Genome of a Short-Lived Fish. **Cell** 163, 1527-1538, 2015
- I/304. Schartl M, Shen Y, Maurus K, Walter R, Wilson RK, Postlethwait J, Warren WC. Whole body melanoma transcriptome response in medaka. **Plos One** 10(12): e0143057, (2015)
- I/305. Schartl M, Schmid M, Nanda I. Dynamics of vertebrate sex chromosome evolution: from equal size to giants and dwarfs. **Chromosoma**, 125, 553-571, 2015
- I/306. Shen Y, Chalopin D, Garcia T, Boswell M, Boswell W, Shirayev SA, Agarwala R, Volff JN, Postlethwait J, Schartl M, Minx P, Warren WC, Walter RB. *X. couchianus* and *X. hellerii* genome models provide genomic variation insight among *Xiphophorus* species. **BMC Genomics**, 17:37, (2015)
- I/307. Biscotti Maria Assunta, Gerdol Marco, Canapa Adriana, Forconi Mariko, Olmo Ettore, Pallavicini Alberto, Barucca Marco, Schartl Manfred. The lungfish transcriptome: A glimpse into molecular evolution events at the transition from water to land. **Scientific Reports** 6, 21571, 2016
- I/308. Bert B, Chmielewska J, Bergmann S, Busch M, Driever W, Finger-Baier K, Höbner J, Köhler A, Leich N, Misgeld T, Nöldner T, Reiher A, Schartl M, Seebach-Sproedt A, Thumberger T, Schönfelder G, Grune B. Considerations for a European animal welfare standard to evaluate adverse phenotypes in teleost fish. **EMBO J**, 25, 1151-1554, 2016
- I/309. Brunet F, Volff JN, Schartl M. Whole Genome Duplications Shaped the Receptor Tyrosine Kinase Repertoire of Jawed Vertebrates. **Genome Biol Evol**, 8, 1600-1613, 2016
- I/310. Matos I, Coelho MM, Schartl M. Gene copy silencing and DNA methylation in natural and artificially produced allopolyploid fish, **J Exp Biol**, 219, 3072-3081, 2016
- I/311. Bertho S, Pasquier J, Pan Q, Le Trionnaire G, Bobe J, Postlethwait JH, Pailhoux E, Schartl M, Herpin A, Guiguen Y. *Foxl2* and its relatives are evolutionary conserved players in gonadal sex differentiation. **Sex Dev**, 10, 111-29, 2016
- I/312. Kneitz S, Mishra R, Chalopin D, Postlethwait J, Warren W, Walter R, Schartl M. Germ cell and tumor associated piRNAs in medaka and *Xiphophorus* melanoma models. **BMC Genomics**, 17, 357, 2016
- I/313. Adolphi MC, Herpin A, Regensburger M, Sacquegno J, Waxman JS, Schartl M. Retinoic acid and meiosis induction in adult versus embryonic gonads of medaka. **Scientific Reports**, 6, 34281, 2016
- I/314. Machado MP, Matos I, Grosso AR, Schartl M, Coelho MM. Non canonical expression patterns and evolutionary rates of sex-biased genes in a seasonal fish. **Mol Reprod Dev**, 83, 1102-1115, 2016
- I/315. Shao C, Bao B, Xie Z, Chen X, Li B, Jia X, Yao Q, Ortí G, Li W, Li X, Hamre K, Xu J, Wang L, Chen F, Tian Y, Schreiber AM, Wang N, Wei F, Zhang J, Dong Z, Gai J, Sakamoto T, Mo S, Chen W, Shi Q, Li H, Li Y, Xu W, Zhang G, Power DM, Wang Q, Schartl M, Chen S. The genome and transcriptome of Japanese flounder provide insights into flatfish asymmetry. **Nat Genet**, 49, 119-124, 2016
- I/316. Gerber T, Willscher E, Loeffler-Wirth H, Hopp L, Schadendorf D, Schartl M, Anderegg U, Camp G, Treutlein B, Binder H, Kunz M. Mapping heterogeneity in a patient-derived melanoma culture by single-cell RNA-seq. **Oncotarget**, in press, 2016
- I/317. Jae-Sung Rhee, Beom-Soon Choi, Jaebum Kim, Bo-Mi Kim, Young-Mi Lee, Il-Chan Kim, Akira Kanamori, Ik-Young Choi, Manfred Schartl, Jae-Seong Lee. Diversity and distribution of transposable elements in the genome of the only selfing hermaphroditic vertebrate *Kryptolebias marmoratus*. **Scientific Reports**, 7, 40121, 2016

- I/318. Yu T, Graf M, Renn J, Schartl M, Larionova D, Huysseune A, Witten PE, Winkler C. A vertebrate specific and essential role for sp7/osterix in osteogenesis revealed by gene knock-out in the teleost medaka. **Development**. in press, 2016
- I/319. Biscotti MA, Canapa A, Forconi M, Gerdol M, Pallavicini A, Olmo E, Schartl M, Barucca, M. The small non-coding RNA processing machinery of two living fossil species, lungfish and coelacanth, gives new insights into the evolution of the Argonaute protein family. **Genome Biol Evol**. in press, 2017

II. Review Articles and Contributions to Congress Proceedings

- II/1. Anders F, Scholl E & Schartl M. Xiphophorus als Modell in der Krebsforschung in *Organo- und Immunotherapie: Neue Perspektiven in der Medizin* (eds Porcher H & Theurer K), Ferdinand Enke Verlag, 38-100, (1979).
- II/2. Anders F, Schartl M & Scholl E. Evaluation of environmental and hereditary factors in carcinogenesis, based on studies in *Xiphophorus* in *Phyletic Approaches to Cancer* (eds Dawe CJ & al. e), Japan Sci. Soc. Press, 289-309, (1981).
- II/3. Anders F, Scholl E & Schartl M. Environmental and hereditary factors in the causation of neoplasia, based on studies of the *Xiphophorus* fish melanoma system in *Phenotypic Expression in Pigment Cells, Pigment Cell* Vol. 6 (ed Seiji M), University of Tokyo Press, 491-499, (1981).
- II/4. Schartl M. Beeinflussung der Melanomentwicklung durch Steroidhormone bei *Xiphophorus*. **Therapie Woche** 33, 38-43, (1983).
- II/5. Anders F, Schartl M & Barnekow A. *Xiphophorus* as an in vivo model for studies on oncogenes. **Natl Cancer Inst Monogr** 65, 97-109, (1984).
- II/6. Anders F, Schartl M, Barnekow A & Anders A. *Xiphophorus* as an in vivo model for studies on normal and defective control of oncogenes. **Adv Cancer Res** 42, 191-275, (1984).
- II/7. Anders F, Schartl M, Barnekow A, Schmidt CR, Luke W, Jaenel-Dess G & Anders A. The genes that carcinogens act upon. **Haematol Blood Transfus** 29, 228-252, (1985).
- II/7a. Foerster W & Schartl M. Karyotype and isozyme patterns of five species of *Aulonocara* REGAN, 1922. **Cour. Forsch.-Inst. Senckenberg** 94, 55-62, (1987).
- II/8. Schartl M, Mäueler W, Raulf F & Robertson SM. Molecular aspects of melanoma formation in *Xiphophorus*. **Prog Clin Biol Res** 256, 283-296, (1988).
- II/9. Schartl A & Schartl M. Genes and cancer: Molecular biology of the melanoma oncogene of *Xiphophorus*. **Biotech. Europ.** 7, 461-466, (1990).
- II/10. Adam D, Schartl A, Andexinger S, Hölter S, Wilde B & Schartl M. Genetic factors in tumour formation: The melanoma-inducing gene of *Xiphophorus* in *BioTechForum 5: Adv. Molecular Genetics 3* (eds G. IO, Henke J, Kömpf J, & Driesel AJ), Hüthig Verlag, 79-94, (1991).
- II/11. Epplen JT, Ammer H, Epplen C, Kammerbauer C, Mitreiter R, Roewer L, Schwaiger W, Steimle V, Zischler H, Albert E, Andreas A, Beyermann B, Meyer W, Buitkamp J, Nanda I, M. S, Nürnberg P, Pena SDJ, Pöche H, Sprecher W, Schartl M, Weising K & Yassouridis A. Oligonucleotide fingerprinting using simple repeat motifs: a convenient, ubiquitously applicable method to detect hypervariability for multiple purposes in *DNA Fingerprinting: Approaches and Applications* (eds Burke T, Dolf G, Jeffreys AJ, & Wolff R), Birkhäuser Verlag, 50-69, (1991).
- II/12. Schartl M & Adam D. Molecular cloning, structural characterization, and analysis of transcription of the melanoma oncogene of *Xiphophorus*. **Pigment Cell Res Suppl** 2, 173-180, (1992).
- II/13. Schartl M, Wittbrodt J, Mäueler W, Raulf F, Adam D, Hannig G, Telling A, Storch F, Andexinger S & Robertson SM. Oncogenes and melanoma formation in *Xiphophorus* (Teleostei: Poeciliidae) in *Trends in Ichthyology* (eds Schröder JH, Bauer J, & Schartl M), Blackwell Oxford, England, 79-92, (1993).
- II/14. Schartl M, Erbelding-Denk C, Hölter S, Nanda I, Schmid M, Schröder JH & Epplen JT. High mating success of low rank males in *Limia perugiae* (Pisces: Poeciliidae) as determined by DNA-fingerprinting in *DNA-Fingerprinting* (eds Pena SDJ, Chakraborty R, T. EJ, & Jeffreys AJ), Birkhäuser Verlag, 363-370, (1993).
- II/15. Cavari B, Funkenstein B, Chen TT, Gonzalez-Villasenor LI & Schartl M. Effect of growth hormone on the growth rate of the gilthead seabream (*Sparus aurata*), and use of different constructs for the production of transgenic fish in *Genetics in Aquaculture IV, Aquaculture* Vol. 111 (eds Gall GAE & Chen H), Elsevier, 189-197, (1993).

- II/16. Altschmied J & Schartl M. Genetics and molecular biology of tumour formation in *Xiphophorus* in *The Legacy of Cell Fusion* (ed Gordon S), Oxford University Press, England, 199-214, (1994).
- II/17. Lubjuhn T, Schartl M & Epplen JT. Methodik und Anwendungsgebiete des genetischen Fingerabdruckverfahrens. **Biologie in unserer Zeit** 24, 9-14, (1994).
- II/18. Schreibman MP, Schartl M, Kallman KD & Magliulo-Cepriano L. Molecular approaches to study the genetic regulation of the fish reproductive system in *Perspectives in Comparative Endocrinology* (eds Davey KG, Peter RE, & Tobe SS), Natl. Res. Council of Canada, 343-351, (1994).
- II/19. Götz R & Schartl M. The conservation of neurotrophic factors during vertebrate evolution. **Comp Biochem Physiol Pharmacol Toxicol Endocrinol** 108, 1-10, (1994).
- II/20. Schartl A, Dimitrijevic N & Schartl M. Evolutionary origin and molecular biology of the melanoma-inducing oncogene of *Xiphophorus*. **Pigment Cell Res** 7, 428-432, (1994).
- II/21. Kraehn GM, Schartl M & Peter RU. Human malignant melanoma. A genetic disease? **Cancer** 75, 1228-1237, (1995).
- II/22. Schartl M. [Model systems for investigation of genetic factors in tumorigenesis]. **Naturwissenschaften** 82, 209-218, (1995).
- II/23. Schartl M. Platyfish and swordtails: a genetic system for the analysis of molecular mechanisms in tumor formation. **Trends Genet** 11, 185-189, (1995).
- II/24. Malitschek B, Förnzler D & Schartl M. Melanoma formation in *Xiphophorus*: a model system for the role of receptor tyrosine kinases in tumorigenesis. **Bioessays** 17, 1017-1023, (1995).
- II/25. Peter R, Beetz A, Krähn GM, Kind P, Schartl M & van Beuningen D. in *10th Int. Congress Radiation Res.* (eds Hagen U, Harder D, Jung H, & Streffer C), 556-559, (1995).
- II/26. Schartl A, Pagany M, Engler M & Schartl M. Analysis of genetic factors and molecular mechanisms in the development of hereditary and carcinogen-induced tumors of *Xiphophorus*. **Recent Results Cancer Res** 143, 225-235, (1997).
- II/27. Schartl A & Schartl M. Tumor induction and tumor regression in *Xiphophorus*. **In Vivo** 10, 179-184, (1996).
- II/28. Hong Y & Schartl M. in *Refrigeration Science and Technology, Proceedings*. 475-488, (1996).
- II/29. Hong Y, Winkler C, Schönland S & Schartl M. in *FOID*. (ed Proceedings), 79-95, (1996).
- II/30. Winkler C & Schartl M. Gene transfer in laboratory fish: model organisms for the analysis of gene function in *Transgenic Animals: Generation and Use* (ed Houdebine LM), Harwood Academic Publishers, 387-395, (1997).
- II/31. Schartl A & Schartl M. in *First World Conference on Spontaneous Animal Tumors*. (eds Rossi L, Richardson R, & Harshbarger J), Press Point di Abbiategrasso, 247-252, (1997).
- II/32. Wellbrock C, Gomez A & Schartl M. Signal transduction by the oncogenic receptor tyrosine kinase Xmrk in melanoma formation of *Xiphophorus*. **Pigment Cell Res** 10, 34-40, (1997).
- II/33. Altschmied J, Hong Y & Schartl M. Homing in on homologous recombination: analyzing gene function in fish in vivo. **Biol Chem** 379, 631-632, (1998).
- II/34. Schartl M & Wellbrock C. Polygenic inheritance of melanoma in *Xiphophorus* in *Human Polygenic Diseases: Animal Models* (ed Dragani TA), Harwood Academic Publ., 167-187, (1998).
- II/35. Hong Y, Chen S, Winkler C & Schartl M. Medakafish embryonic stem cells as a model for genetic improvement of aquaculture livestock in *New Developments in Marine Biotechnology* (eds Le Gal Y & Halvorson H), Plenum, 129-134, (1998).
- II/36. Wittbrodt J, Meyer A & Schartl M. More genes in fish? **BioEssays** 20, 511-515, (1998).
- II/37. Schlupp I, Nanda I, Dobler M, Lamatsch DK, Epplen JT, Parzefall J, Schmid M & Schartl M. Dispensable and indispensable genes in an asexual fish, the Amazon molly *Poecilia formosa*. **Cytogenet Cell Genet** 80, 193-198, (1998).
- II/38. Schartl M, Gómez A & Hong Y. in *Third European Marine Science And Technology Conference*. 171-188, (1999).
- II/39. Meyer A & Schartl M. Gene and genome duplications in vertebrates: the one-to-four (-to-eight in fish) rule and the evolution of novel gene functions. **Curr Opin Cell Biol** 11, 699-704, (1999).
- II/40. Hong Y, Chen S & Schartl M. Embryonic stem cells in fish: current status and perspectives. **Fish Physiol Biochem** 22, 165-170, (2000).
- II/41. Hong Y, Winkler C, Xiang C, Chen S & Schartl M. in *Perspective in Comparative Endocrinology: Unity and Diversity*. (eds Goos HJT, Rastogi RK, Vaudry H, & Pierantoni R), Monduzzi Editore, 23-43, (2001).

- II/42. Franck D & Schartl M. Über den Selektionswert polymorpher Fleckenmuster und die evolutionäre Stabilität eines Tumorgens bei Schwerträgern (Gattung *Xiphophorus*) in *Konrad Lorenz und seine verhaltensbiologischen Konzepte aus heutiger Sicht* (eds Kotschal K, Müller G, & Winkler H), Filander, 287-293, (2001).
- II/43. Froschauer A, Körting C, Bernhardt W, Nanda I, Schmid M, Schartl M & Volff JN. Genomic plasticity and melanoma formation in the fish *Xiphophorus*. **Mar Biotechnol (NY)** 3, S72-80, (2001).
- II/44. Volff JN & Schartl M. Variability of genetic sex determination in poeciliid fishes. **Genetica** 111, 101-110, (2001).
- II/45. Wittbrodt J, Shima A & Schartl M. Medaka-a model organism from the far East. **Nat Rev Genet** 3, 53-64, (2002).
- II/46. Wellbrock C, Gomez A & Schartl M. Melanoma development and pigment cell transformation in *Xiphophorus*. **Microsc Res Tech** 58, 456-463, (2002).
- II/47. Gomez A, Wellbrock C & Schartl M. Constitutive activation and specific signaling of the Xmrk receptor in *Xiphophorus* melanoma. **Marine Biotechnology** 4, 208-217, (2002).
- II/48. Volff JN, Froschauer A, Körting C, Bernhardt W, Nanda I, Schultheis C, Schmid M & Schartl M. Genome fluidity in the fish *Xiphophorus* in *Aquatic Genomics: Steps Toward a Great Future* (eds Shimizu N, Aoki T, Hirono I, & Takashima F), Springer, 185-194, (2003).
- II/49. Nanda I, Shan Z, Steinlein C, Schartl M, Haaf T & Schmid M. Avian sex chromosomes and sex-linked genes. **Chromosome Today** 14, 15-25, (2004).
- II/50. Volff JN & Schartl M. Evolution of signal transduction by gene and genome duplication in fish. **J Struct Funct Genomics** 3, 139-150, (2003).
- II/51. Shima A, Himmelbauer H, Mitani H, Furutani-Seiki M, Wittbrodt J & Schartl M. Fish genomes flying. Symposium on Medaka Genomics. **EMBO Rep** 4, 121-125, (2003).
- II/52. Volff JN, Kondo M & Schartl M. Medaka dmY/dmrt1Y is not the universal primary sex-determining gene in fish. **Trends Genet** 19, 196-199, (2003).
- II/53. Hong Y, Gui JF, Chen SL, Deng JR & Schartl M. in *Acta Zoologica Sinica* Vol. 49 281-294 (2003).
- II/54. Volff JN & Schartl M. Sex determination and sex chromosome evolution in the medaka, *Oryzias latipes*, and the platyfish, *Xiphophorus maculatus*. **Cytogenet Genome Res** 99, 170-177, (2002).
- II/55. Hong Y, Chen S, Gui J & Schartl M. Retention of the developmental pluripotency in medaka embryonic stem cells after gene transfer and long-term drug selection for gene targeting in fish. **Transgenic Res** 13, 41-50, (2004).
- II/56. Meierjohann S, Schartl M & Volff JN. Genetic, biochemical and evolutionary facets of Xmrk-induced melanoma formation in the fish *Xiphophorus*. **Comp Biochem Physiol C Toxicol Pharmacol** 138, 281-289, (2004).
- II/57. Schartl M. Sex chromosome evolution in non-mammalian vertebrates. **Curr Opin Genet Dev** 14, 634-641, (2004).
- II/58. Schartl M, Nanda I, Kondo M, Schmid M, Asakawa S, Sasaki T, Shimizu N, Henrich T, Wittbrodt J, Furutani-Seiki M, Kondoh H, Himmelbauer H, Hong Y, Koga A, Nonaka M, Mitani H & Shima A. Current status of medaka genetics and genomics. The Medaka Genome Initiative (MGI). **Methods Cell Biol** 77, 173-199, (2004).
- II/59. Hong Y & Schartl M. The Zebrafish and Medaka models in *Fish Development and Genetics (Molecular Aspects of Fish and Marine Biology)* Vol. 2 (eds Gong Z & Korzh V), World Scientific Publishing Company, 637-664, (2004).
- II/60. Shimizu N, Sasaki T, Asakawa S, Shimizu A, Ishikawa SK, Imai S, Murayama Y, Himmelbauer H, Mitani H, Furutani-Seiki M, Kondoh H, Schartl M, Nonaka M, Takeda H, Hori H & Shima A. Comparative genomics of medaka and fugu. **Comp Biochem Physiol D** 1, 6-12, (2006).
- II/61. Meierjohann S & Schartl M. From Mendelian to molecular genetics: the *Xiphophorus* melanoma model. **Trends Genet** 22, 654-661, (2006).
- II/62. Volff JN, Nanda I, Schmid M & Schartl M. Governing sex determination in fish: regulatory putches and ephemeral dictators. **Sexual Development** 1, 85-99, (2007).
- II/63. Renn J, Winkler C, Schartl M, Fischer R & Goerlich R. Zebrafish and medaka as models for bone research including implications regarding space-related issues. **Protoplasma** 229, 209-214, (2006).
- II/64. Braasch I, Volff JN & Schartl M. The evolution of teleost pigmentation and the fish-specific genome duplication. **Journal of Fish Biology** 73, 1891-1918, (2008).

- II/65. Schartl M. Evolution of Xmrk: an oncogene, but also a speciation gene? **Bioessays** 30, 822-832, (2008).
- II/66. Herpin A & Schartl M. Regulatory putsches create new ways of determining sexual development. **EMBO Rep** 9, 966-968, (2008).
- II/67. Herpin A & Schartl M. Molecular mechanisms of sex determination and evolution of the Y-chromosome: insights from the medakafish (*Oryzias latipes*). **Molecular and Cellular Endocrinology** 306, 51-58, (2009).
- II/68. Kondo M, Nanda I, Schmid M & Schartl M. Sex Determination and Sex Chromosome Evolution: Insights from Medaka. **Sexual Development** 3, 88-98, (2009).
- II/69. Lampert KP & Schartl M. A little bit is better than nothing: the incomplete parthenogenesis of salamanders, frogs and fish. **BMC biology** 8, 78, (2010).
- II/70. Herpin A & Schartl M. Vertebrate sex determination: questioning the hierarchy. **The FEBS journal** 278, 1001, (2011).
- II/71. Herpin A & Schartl M. Dmrt1 genes at the crossroads: a widespread and central class of sexual development factors in fish. **The FEBS journal** 278, 1010-1019, (2011).
- II/72. Herpin A & Schartl M. Sex determination: switch and suppress. **Curr Biol** 21, R656-659, (2011).
- II/73. Schartl M. Beyond the zebrafish: diverse fish species for modeling human disease. **Disease models & mechanisms** 7, 181-192, (2014).
- II/74. Braasch I & Schartl M. Evolution of endothelin receptors in vertebrates. **General and comparative endocrinology** 209, 21-34, (2014).
- II/75. Herpin A, Schartl M. Plasticity and lability of the gene regulatory networks controlling sex determination: of masters, slaves, usual suspects, newcomers and usurpators. **EMBO Reports** 10, 1260-74 (2015).
- II/76. Schartl M, Larue L, Goda M, Bosenberg MW, Hashimoto H, Kelsh RN. What is a vertebrate pigment cell? **Pigment Cell Melanoma Res** published online ahead (2015).
- II/77. Pan Qiaowei, Anderson Jennifer, Bertho Sylvain, Herpin Amaury, Wilson Catherine, Postlethwait John H., Schartl Manfred, Guiguen Yann. Vertebrate sex-determining genes play musical chairs. **Comptes Rendus Biologies**, 339, 258-62, 2016

III. Monographies

- III/1. Bagnara J, Klaus S, Paul E & Schartl M. Vol. 7 University of Tokyo Press, Tokyo (1985).
- III/2. Schröder JH, Bauer J & Schartl M. Blackwell Oxford, Oxford, England (1993).
- III/3. Schartl M. Krebsentstehung als entwicklungsbiologisches Problem in *Lehrbuch der Genetik* (eds Seyffert W & al. e), Gustav Fischer Verlag, 814-829, (1998).
- III/4. Hong Y, Chen C, Winkler W & Schartl M. Medakafish embryonic stem cells as a model for genetic improvement of aquaculture livestocks in *New Developments in Marine Biotechnology* (eds Le Gal Y & Halvorson HO), Plenum Press, 129-134, (1998).
- III/5. Schartl M. Xiphophorus in *Encyclopedic Reference of Cancer* (ed Schwab M), Springer Verlag, (2001).
- III/6. Schartl M. Gene und Krebs in *Das Gen und der Mensch* (ed Gottschalk G), Wallstein-Verlag, (2001).
- III/7. Köhrle J & Schartl M. Coenzyme in *Lehrbuch Vorklinik* (eds Schmidt RF, Unsicker K, Birbaumer N, Kurtz A, & Schartl M), Deutscher Ärzte-Verlag, 135-149, (2003).
- III/8. Schartl M. Gentechnik, Gendiagnostik, Getherapie in *Lehrbuch Vorklinik* (eds Schmidt RF, Unsicker K, Birbaumer N, Kurtz A, & Schartl M), Deutscher Ärzte-Verlag, 543-567, (2003).
- III/9. Schmidt RF, Unsicker K, Birbaumer N, Kurtz A & Schartl M. Deutscher Ärzte-Verlag, (2003).
- III/10. Hong Y & Schartl M. Isolation and differentiation of medaka embryonic stem cells. **Methods Mol Biol** 329, 3-16, (2006).
- III/11. Schartl M. Tiermodelle in *Malignes Melanom. Standards und Innovationen in Diagnostik und Therapie* (eds Hengge U, Dummer R, & Balda B-R), Deutscher Ärzte-Verlag, 44-54, (2006).
- III/12. Walter RB, Hazlewood L & Kazianis S. (eds Kallman KD & Schartl M) 113 San Marcos (2006).
- III/13. Nanda I, Buwe A, Wizenmann A, Takata M, Haaf T, Schartl M & Schmid M. Fanconi Anemia Genes in Vertebrates: Evolutionary Conservation, Sex-Linkage, and Embryonic Expression of FANCC and FANCG in Avian Cells in *Fanconi Anemia. A Paradigmatic Disease for the Understanding of Cancer and Aging* Vol. 15 (eds Schinder D & Hoehn H), Monogr Hum Genet. Karger, 183-199, (2007).
- III/14. Schartl M & various. *Biochemie und Molekularbiologie des Menschen*. Urban & Fischer, (2009).

- III/15. Schartl M, Galiana-Arnoux D, Schultheis C, Böhne A & Volff J-N. A primer of sex determination in poeciliids in *Ecology and Evolution of Poeciliid Fishes* (eds Pilastro A, Evans J, & Schlupp I), Ch. 24, 264-275, (2010).
- III/16. Schartl M & Meierjohann S. Oncogenetics in *Evolution and Ecology of Poeciliid Fishes* (eds Pilastro A, Evans J, & Schlupp I), Ch. 26, 285-297, (2010).
- III/17. Schartl M. Function of the medaka male sex-determining gene in *Medaka: A Model for Organogenesis, Human Disease, and Evolution* (eds Naruse K, Tanaka M, & Takeda H), Springer, Ch. 16, 241-254, (2011).
- III/18. Patton EE, Mathers ME & Schartl M. Generating and analyzing fish models of melanoma in *Zebrafish: Disease Models and Chemical Screens* Vol. 105, Ch. 14, 339-366, (2011).
- III/19. Schartl M & Meyer A. Die Entschlüsselung des Genoms des Quastenflossers. **BIOspektrum** 5, (2013).
- III/20. Meyer A & Schartl M. Zeitreise mit dem Quastenflosser. **Spektrum der Wissenschaft** 11, 16-18, (2013).
- III/21. Schartl M, Volff J-N & Brunet F. Evolution of Receptor Tyrosine Kinases in *Receptor Tyrosine Kinases: Structure, Functions and Role in Human Disease* (eds Wheeler DL & Yarden Y), Springer Science, 17-36, (2015).
- III/22. Schartl M, Walter RB. Xiphophorus and medaka cancer models in *Cancer and Zebrafish: Advances in Experimental Medicine and Biology*, Chapter 23, 916, 531-532, (2016)
- III/23. Regneri J, Klotz B, Schartl M. Genomic and transcriptomic approaches to study cancer in small aquarium fish models in **ADGEN 95 Genetics, Genomics and Phenomics of Fish** (ed Foulkes NS), Elsevier, 92, 31-63, (2016)